



Ценозапис на продуктите на Porta Doors, валиден от 14.04.2022 год.

Ценозапис на продуктите на Porta Doors, валиден от 14.04.2022 год.

INTERIOR DOOR LEAVES

* рез.косу започват от 2137 ред...потърси "регулур" ...

MINIMAX	Цена в лева
model "P"	217
model "M"	274
model "D"	303
model "L"	291
narrow light	308

Extra charges (optional)	Цена в лева
size: "100"	33
perforated chipboard	72
full chipboard	129
ventilation: grid, sleeves, undercut	26
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	7
magnetic lock	30
automatic threshold seal	143
preparation for shortening (max.60mm) / reinforcement for self-closing mechanism	17
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50
bull's eye	423
Mat glass - model "M"	10
Mat glass - model "D"	33
Mat glass - narrow light, model L	11

Porta DECOR	Portadecor Portaperfect 3D Цена в лева	Portaperfect 3D Цена в лева	Portalamino Цена в лева
model "P"	205	283	285
model "M"	257	308	331
model "D"	291	325	348
model "L"	285	320	343

Extra charges (optional)	Цена в лева
size: "100", "110"	33
perforated chipboard	72
full chipboard	129
ventilation: grid, sleeves, undercut	26
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	7
magnetic lock	30
automatic threshold seal	143
magnetic lock in black / white color for non-rebated doors	39
preparation for shortening (max.60mm) / reinforcement for self-closing mechanism	17
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50
bull's eye	423
Mat glass - model "M"	10
Mat glass - model "D"	33
Mat glass - narrow light, model "L"	11

LONDON, VIENA	full Цена в лева	small light Цена в лева	medium sash Цена в лева	large sash Цена в лева
LONDON, VIENA - painted white wood-grain	263	366	428	468
LONDON - painted white smooth	308	411	474	514

Extra charges (optional)	Цена в лева
ventilation: grid, sleeves, undercut	26
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	7
magnetic lock	30
preparation for shortening (max.60mm) / reinforcement for self-closing mechanism	17
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta ROYAL	model A Цена в лева	model P Цена в лева	model M Цена в лева	model D Цена в лева
standard white varnish	297	303	423	423

Extra charges (optional)	Цена в лева
ventilation: sleeves, undercut	26
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	7
magnetic lock	30
magnetic lock in black / white color for non-rebated doors	39
preparation for shortening (max.60mm) / reinforcement for self-closing mechanism	17
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta ROYAL Premium	model A and model P	model M
	Lijena e neza	Lijena e neza
premium white varnish	394	463

Extra charges (optional)	Lijena e neza
ventilation: sleeves, undercut	26
full chipboard	92
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	7
magnetic lock	30
automatic threshold seal	143
magnetic lock in black / white color for non-rebated doors	39
preparation for shortening (max.60mm) / reinforcement for self-closing mechanism	17
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta VECTOR	Standard varnish	Premium varnish	UV acrylic paint
	Lijena e neza	Lijena e neza	Lijena e neza
All models	300	394	574
Model T	x	360	534

Extra charges (optional)	Lijena e neza
size: "100"	33
height "220"	143
perforated chipboard	72
full chipboard	129
ventilation: sleeves, undercut, recuperation	26
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	7
magnetic lock	30
automatic threshold seal	143
magnetic lock in black / white color for non-rebated doors	39
preparation for shortening (max.60mm) / reinforcement for self-closing mechanism	17
hook lock with side handles (for sliding doors)	109
preparation for Porta SYSTEM FRAME WITH REVERSED REBATE	200
oblong / rectangular side handle (for sliding doors)	50

Porta SKANDIA Premium	Lijena e neza
R.0	394

Extra charges (optional)	Lijena e neza
ventilation: sleeves, undercut	26
full chipboard	72
magnetic lock	30
automatic threshold seal	143
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	7
magnetic lock in black / white color for non-rebated doors	39
preparation for shortening (max.60mm) / reinforcement for self-closing mechanism	17
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta GRANDECO	Portadecor-CATANA, Dorsalelement-3D	Lijena e neza
	model 1.1, 2.1, 3.1, 5.1, 6.1	
model 1.2, 2.2, 5.2, 6.2		549
model 1.3, 2.3, 3.2		629

Extra charges (optional)	Lijena e neza
size: "100", "110"	33
perforated chipboard - full doors	72
full chipboard - glazed doors	65
ventilation: grid, sleeves, undercut	26
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	7
magnetic lock	30
magnetic lock in black / white color for non-rebated doors	39
preparation for shortening (max.60mm) / reinforcement for self-closing mechanism	17
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta STYLE	Portadecor, Portaperfect 3D	Portaperfect 3D	CPL HQ gr.I	Portalamino
	Lijena e neza	Lijena e neza	Lijena e neza	Lijena e neza
model 1, 2	308	360	403	262
model 3	354	400	457	261

Extra charges (optional)	Lijena e neza
size: "100", "110"	33
perforated chipboard	72
full chipboard	129
ventilation: grid, sleeves, undercut	26
Group II colours of CPL 0,2mm	33
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	7
magnetic lock	30
automatic threshold seal	143
magnetic lock in black / white color for non-rebated doors	39
preparation for shortening (max.60mm) / reinforcement for self-closing mechanism	17
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta FOCUS	Portadecor, Portaperfect 3D	Portaperfect 3D, CPL HQ gr.I, Dorsalelement	Premium varnish	UV acrylic paint
	Lijena e neza	Lijena e neza	Lijena e neza	Lijena e neza
model 2.0	569	654	x	x
model 4.A	596	661	720	805
model 4.B	671	736	792	876
model 4.D	x	x	792	876
model 4.C, 4.E	x	x	756	840
model 5.A, 5.B, 5.C	x	x	489	574

Extra charges (optional)	Uljena s nesa
size: "100" - all finishes	33
size: "110" - Portador, Portasynchro 3D, Portaperfect 3D, CPL HQ gr.I	33
"perforated chipboard" filling	72
full chipboard	129
sticla neagra (modelul 4.A)	104
Group II colours of CPL 0,2mm	33
ventilation: grid, sleeves, undercut	26
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	7
magnetic lock	30
magnetic lock in black / white color for non-rebated doors	39
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta FIT	Portador, Portasynchro 3D	Portaperfect 3D	CPL HQ gr.I	Portalamino
	Uljena s nesa	Uljena s nesa	Uljena s nesa	Uljena s nesa
group C	348	406	480	453
group I	331	388	463	406
group F, G, H	366	423	497	440

Extra charges (optional)	Uljena s nesa
size: "100"	33
perforated chipboard and/or full chipboard	72
ventilation: grid, sleeves, undercut	26
Group II colours of CPL 0,2mm	33
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	7
magnetic lock	30
automatic threshold seal	143
magnetic lock in black / white color for non-rebated doors	39
preparation for shortening (max.60mm) / reinforcement for self-closing mechanism	17
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta NOVA	Portador, Portasynchro 3D	Portadur	Portaperfect 3D	Portalamino
	Uljena s nesa	Uljena s nesa	Uljena s nesa	Uljena s nesa
models 2.1 - 2.2	509	537	577	600
models 3.1 - 3.2	509	537	577	600
model 4.1 - 4.4	526	554	589	617
models 5.1 - 5.5	554	589	617	640
models 6.1 - 6.5	594	617	640	X
models 7.1 - 7.5	594	617	640	X

Extra charges (optional)	Uljena s nesa
size: "100"	33
mat glass, model 2.2	45
mat glass, model 3.2	26
mat glass, models of gr. 4 and 5 (1 piece)	16
mat glass, models of gr. 6 and 7	32
*** mirror on one side	100
*** mirror on both sides	200
ventilation: sleeves, undercut	26
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	7
magnetic lock	30
automatic threshold seal	143
magnetic lock in black / white color for non-rebated doors	39
reinforcement for self-closing mechanism	17
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta LINE	Portador, Portasynchro 3D	Portaperfect 3D, CPL HQ gr.I	Portalamino
	Uljena s nesa	Uljena s nesa	Uljena s nesa
models A.1 - H.1	366	434	457

Extra charges (optional)	Uljena s nesa
size: "100", "110"	33
perforated chipboard	72
full chipboard	129
ventilation: sleeves, undercut	26
Group II colours of CPL 0,2mm	33
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	7
magnetic lock	30
automatic threshold seal	143
magnetic lock in black / white color for non-rebated doors	39
preparation for shortening (max.60mm) / reinforcement for self-closing mechanism	17
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta CPL - group 1	model 1.1	model 1.2	model 1.3	model 1.4	model 1.5
	Uljena s nesa	Uljena s nesa	Uljena s nesa	Uljena s nesa	Uljena s nesa
CPL HQ 0,2 mm: FULL	283	X	X	X	X
CPL HQ 0,2 mm: glass: "chinchilla"	X	397	423	482	260
CPL HQ 0,2 mm: glass: "mat", "transparent"	X	410	469	527	272
CPL HQ 0,7 mm: FULL	406	X	X	X	X
CPL HQ 0,7 mm: glass: "chinchilla"	X	452	476	515	468
CPL HQ 0,7 mm: glass: "mat", "transparent"	X	466	522	561	488

Porta CPL - group 5	model 5.1	model 5.2	model 5.3	model 5.4	model 5.5
	Uljena s nesa	Uljena s nesa	Uljena s nesa	Uljena s nesa	Uljena s nesa
full	559	X	X	X	X
glass: "chinchilla"	X	559	559	559	559
glass: "mat", "transparent"	X	576	592	609	625

Extra charges (optional)	Uljena s nesa
size: "100", "110"	33
perforated chipboard	72
full chipboard	129
bull's eye	343

ventilation: grid, sleeves, undercut	26
Group II colours of CPL 0,2mm and 0,7mm	33
magnetic lock	30
automatic threshold seal	143
black hinges + lock (for single doors, standard type of hinges)	13
magnetic lock in black / white color for non-rebated doors	39
preparation for shortening (max.60mm) / reinforcement for self-closing mechanism - group 1	17
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50
stainless steel lock panel (set for both sides) - models 1.1, 1.2, 1.3	209
stainless steel push plate (set for both sides) - models 1.1, 1.2	208
stainless steel ventilation panel (set for both sides) - models 1.1, 1.2, 1.3	235
stainless steel panel for doors with bottom ventilation undercut (set for both sides) - models 1.1, 1.2, 1.3	235

Porta RESIST	Gladstone/Halfax (vertical stripes)	Gladstone/Halfax (horizontal stripes)
	Ujena e nesha	Ujena e nesha
model 1.1	528	X
model 1.2	575	X
model 1.3	569	X
model 1.4	638	X
model 7.1	X	437
model 7.2	X	484
model 7.3	X	507
model 7.4	X	548
model 4.A	700	X
model 4.B	775	X
model E.1	X	548
model B.1, H.1	639	X

Extra charges (optional)	Ujena e nesha
size: "100", "110"	33
"perforated chipboard" filling	72
full chipboard	129
black color glass (model 4.A)	104
ventilation: grid (only group 1 and 7), sleeves, undercut	26
bull's eye (model 1.1)	327
magnetic lock	29
automatic threshold seal	89
black hinges + lock (for single doors, standard type of hinges)	13
magnetic lock in black / white color for non-rebated doors	39
preparation for shortening (max.60mm) - group 1	17
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta LEVEL	Portadecor	Portaperfect 3D, Portaperfect
	Ujena e nesha	Ujena e nesha
model C.1 - C.3	436	502

Extra charges (optional)	Ujena e nesha
size: "100"	33
perforated chipboard	72
full chipboard	129
ventilation: sleeves, undercut	25
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	6
magnetic lock	29
automatic threshold seal	89
magnetic lock in black / white color for non-rebated doors	39
preparation for shortening (max.60mm)	17

Porta LOFT	Portaperfect 3D, CPL 160 or 1	Gladstone/Halfax (vertical stripes)	Gladstone/Halfax (horizontal stripes)
	Ujena e nesha	Ujena e nesha	Ujena e nesha
model 1.1	471	658	x
model 4.A	750	854	x
model 4.B	830	934	x
model 7.1	x	x	561

Extra charges (optional)	Ujena e nesha
size: "100" - all finishings	33
"perforated chipboard" filling	72
full chipboard	129
black color glass (model 4.A)	104
Group II colours of CPL 0,2mm	33
ventilation undercut	25
automatic threshold seal	89
Preparation for shortening (models 1.1 / 7.1)	17

Porta System ELEGANCE - LOFT	Black Super MAT / White CPL	
	single door	double door
wall thickness	Ujena s mesa	Ujena s mesa
B 95 + 115 mm	525	787
C 120 + 140 mm	525	787
D 140 + 160 mm	527	806
E 160 + 180 mm	537	806
F 180 + 200 mm	567	850
G 200 + 220 mm	567	850
H 220 + 240 mm	567	850
I 240 + 260 mm	602	904
J 260 + 280 mm	602	904
K 280 + 300 mm	602	904
Extra charges (optional)	Ujena s mesa	
steel hinge 3D	84	
frame: Group II colours of CPL 0,2mm	35	
reinforcement for the self-closing device	27	

Porta GRANDE	group A	group B, C, D	group G	group F
	Ujena s mesa	Ujena s mesa	Ujena s mesa	Ujena s mesa
	752	808	840	904

Extra charges (optional)	Ujena s mesa
size: "100"	35
ventilation: undercut	27
magnetic lock	31
black hinges + lock (for single doors, standard type of hinges)	14
magnetic lock in black / white color for non-rebated doors	42
preparation for Porta SYSTEM FRAME WITH REVERSED REBATE	138
*** mirror on one side	104
*** mirror on both sides	208
hook lock with side handles (for sliding doors)	116
oblong / rectangular side handle (for sliding doors)	53
decorative strip in Portaperfect 3D finishing (model G)	14
decorative strip in brushed aluminium finishing (model G)	27
decorative strip in Natural veneer finishing (model G)	55

Porta DESIRE	Model 1	Model 2 - 4
	Ujena s mesa	Ujena s mesa
	606	646

Extra charges (optional)	Ujena s mesa
size: "100"	33
height "220"	118
ventilation: undercut	25
magnetic lock	29
automatic threshold seal	89
black hinges + lock (for single doors, standard type of hinges)	13
magnetic lock in black / white color for non-rebated doors	39
hook lock with side handles (for sliding doors)	116
preparation for Porta SYSTEM FRAME WITH REVERSED REBATE	138
oblong / rectangular side handle (for sliding doors)	50

Porta DUO	Portadecor	Portaperfect 3D	Furnir Natural Select	Furnir Natural - Stejar	Furnir Natural Satin
	Ujena s mesa	Ujena s mesa	Ujena s mesa	Ujena s mesa	Ujena s mesa
model 4.0	692	752	791	829	868
model 4.A	708	829	868	906	945

Extra charges (optional)	Ujena s mesa
size: "100"	35
ventilation: sleeves, undercut	27
black color glass (model 4.A)	111
magnetic lock in black / white color for non-rebated doors	42
magnetic lock	31

PORTA HIDE - door leaf	Non-rebated (exterior opening)		Counter-edge (interior opening)	
	primer paint (for individual painting)	Premium varnish	primer paint (for individual painting)	Premium varnish
Ujena s mesa	Ujena s mesa	Ujena s mesa	Ujena s mesa	
Model 1.1	364	406	447	488

PORTA HIDE - frame	aluminum not painted (for individual painting)
Ujena s mesa	
2 hinges	697
3 hinges	751

Extra charges (optional)	Ujena s mesa
ventilation: undercut, recuperation	27
automatic threshold seal	94
perforated chipboard	76

Porta KONCEPT	group A	group B	group C, H, K
	Ujena s mesa	Ujena s mesa	Ujena s mesa
Portadecor, Portasynchro 3D	515	499	499
PortaDur	554	539	539
Premium finishing	581	x	565
Portaperfect 3D, Portalamino	581	565	565

Extra charges (optional)	Ujena s mesa
size: "100"	33
ventilation: sleeves, undercut	25
Prime hinges (2 or 3 post) together with new lock with glossy front plate (silver or golden)	6
magnetic lock	29
magnetic lock in black / white color for non-rebated doors	39
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta VERTE PREMIUM	Portasynchro 3D	Premium finishing	Portaperfect 3D, Portalamino
	Ujena s mesa	Ujena s mesa	Ujena s mesa

group A (models A0 - A4)	493	598	558
group B (models B0 - B3)	493	X	558
group C (models C0 - C2)	493	X	558
group D (models D0 - D6)	509	574	574
group E (models E0 - E5)	460	525	525

Extra charges (optional)	Ljens e mesa
size: "100"	33
ventilation: sleeves, undercut	25
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	6
magnetic lock	29
magnetic lock in black / white color for non-rebated doors	39
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta VERTE HOME	Portadecor, Portasynchro 3D	Premium finishing, Portalamino	Portaperfect 3D
	Ljens e mesa	Ljens e mesa	Ljens e mesa
group B (models B0 - B7)	391	514	514
group C (models C0 - C5)	391	475	475
group C (models C0 - C5) - with insertions	423	508	508
group D (models D0 - D7)	391	502	502
group D (models D0 - D7) - with insertions	423	534	534
group E (models E0)	391	X	456
group E (models E0) - board	531	X	597
group E (models E1, E5)	447	X	513
group G (models G0 - G4)	391	X	456
group G (models G0 - G4) - with insertions	423	X	488
group H (models H0 - H5)	391	X	456
group J (models J0 - J6)	391	X	456
group L (models L0 - L4)	391	X	456
group N (models N0 - N3)	391	X	456

Extra charges (optional)	Ljens e mesa
size: "100"	33
ventilation: sleeves, undercut	25
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	6
magnetic lock	29
magnetic lock in black / white color for non-rebated doors	39
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50
decorative strip in Portaperfect 3D finishing (models G, H, J) - only for white doors	14
decorative strip in brushed aluminium finishing (models G, H, J) - only for white doors	27

Porta INSPIRE	models A.0 - B.3	models C.0 - C.4
	Ljens e mesa	Ljens e mesa
Portadecor, Portasynchro 3D	541	541
Premium finishing	X	606
Portaperfect 3D, Portalamino	606	606

Extra charges (optional)	Ljens e mesa
size: "100"	33
ventilation: sleeves, undercut	25
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	6
magnetic lock	29
magnetic lock in black / white color for non-rebated doors	39
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50
*** mirror on one side	98
*** mirror on both sides	196

Porta BALANCE	group A, B and D
	Ljens e mesa
Portadecor, Portasynchro 3D	489
Portaperfect 3D, Portalamino	554

Extra charges (optional)	Ljens e mesa
size: "100"	33
ventilation: sleeves, undercut	25
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	6
magnetic lock	29
magnetic lock in black / white color for non-rebated doors	39
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

Porta HARMONY	all models
	Ljens e mesa
Portadecor, Portasynchro 3D	466
Portaperfect 3D, Portalamino	531

Extra charges (optional)	Ljens e mesa
size: "100"	33
ventilation: sleeves, undercut	25
black hinges + lock (for single doors, standard type of hinges)	13
Prime hinges (2 or 3 pcs) together with new lock with glossy front plate (silver or golden)	6
magnetic lock	29
magnetic lock in black / white color for non-rebated doors	39
hook lock with side handles (for sliding doors)	109
oblong / rectangular side handle (for sliding doors)	50

DOOR LEAVES COVERED WITH NATURAL VENEER

MADRID, CORDOBA	Natural Veneer Oak	Natural Veneer Oak
	Ljens e mesa	Saltis
full	1141	1183
small light	1164	1206
medium sash	1187	1229
large sash	1210	1252
side panels A, K	912	940

TOLEDO	Natural Veneer Oak	Natural Veneer Oak Satin
	Ljenski mesa	Ljenski mesa
full	1528	1570
model 1	1473	1514
model 2	1417	1459
model 3	1362	1404
model 4	1306	1349
model 5	1252	1293
side panels A, K	982	1009

Extra charges (optional)	Ljenski mesa
size "110"	35
ventilation: sleeves, undercut or slot	27
magnetic lock	31
magnetic lock in black / white color for non-rebated doors	42
closing trim for double door	34
hook lock with side handles (for sliding doors)	116
oblong / rectangular side handle (for sliding doors)	53
finishing natural veneer White Oak Satin	173

SEVILLA	Natural Veneer Oak	Natural Veneer Oak Satin
	Ljenski mesa	Ljenski mesa
Full Door / Door with glass	979	1021
Extensions I / J	774	801

Extra charges (optional)	Ljenski mesa
size "110"	35
ventilation: sleeves, undercut or slot	27
finishing natural veneer White Oak Satin	173
one-side mirror	104
magnetic lock	31
magnetic lock in black / white color for non-rebated doors	42
hook lock with side handles (for sliding doors)	116
oblong / rectangular side handle (for sliding doors)	53

Natura SPACE	Natural Veneer Select	Natural Veneer Oak	Natural Veneer Oak Satin
	Ljenski mesa	Ljenski mesa	Ljenski mesa
F.1, G.1, H.1	995	1030	1071

Extra charges (optional)	Ljenski mesa
size "110"	35
ventilation: sleeves, undercut	27
Mat glass "narrow light" and "cabral" - model F.1	17
Mat glass "narrow light" and "cabral" - model H.1	35
Black color glass (model G.1)	111
magnetic lock	31
magnetic lock in black / white color for non-rebated doors	42
hook lock with side handles (for sliding doors)	116
oblong / rectangular side handle (for sliding doors)	53
finishing natural veneer White Oak Satin	173

Natura CONCEPT	Natural Veneer Select	Natural Veneer Oak	Natural Veneer Oak Satin
	Ljenski mesa	Ljenski mesa	Ljenski mesa
model A.9 (+24 RON Additional cost for each additional panel instead of glass)	1290	1294	1296
model B.0	1077	1111	1153
model C.0 (+41 RON Additional cost for each additional panel instead of glass)	1022	1057	1098
model K.3 (+121 RON Additional cost for each additional panel instead of glass)	953	998	1029
model D.0	1126	1161	1202

Extra charges (optional)	Ljenski mesa
size "110"	35
ventilation: sleeves, undercut	27
magnetic lock	31
magnetic lock in black / white color for non-rebated doors	42
hook lock with side handles (for sliding doors)	116
oblong / rectangular side handle (for sliding doors)	53
finishing natural veneer White Oak Satin	173

Natura VECTOR	Natural Veneer Oak	Natural Veneer Oak Satin
	Ljenski mesa	Ljenski mesa
model B, E, J, U, V	907	1011

Cost supplement (optional)	Ljenski mesa
size "110"	35
height "220"	118
"perforated chipboard" filling	76
ventilation: sleeves, undercut	27
magnetic lock	31
magnetic lock in black / white color for non-rebated doors	42
hook lock with side handles (for sliding doors)	116
oblong / rectangular side handle (for sliding doors)	53
preparation for shortening (max.60mm) / reinforcement for self-closing mechanism (only with 3 hinges)	18

Natura GRANDE	Natural Veneer Select	Natural Veneer Oak	Natural Veneer Oak Satin
	Ljenski mesa	Ljenski mesa	Ljenski mesa
gr. A	851	896	937
gr. B, C, D	914	949	991

Extra charges (optional)	Ljenski mesa
size "110"	35
ventilation: undercut	27
magnetic lock	31
magnetic lock in black / white color for non-rebated doors	42
hook lock with side handles (for sliding doors)	116
oblong / rectangular side handle (for sliding doors)	53
preparation for Porta SYSTEM FRAME WITH REVERSED REBATE	138
finishing natural veneer White Oak Satin / Select Black	173

Natura CLASSIC	Natural Veneer Select	Natural Veneer Oak Satin	Natural Veneer Walnut	Natural Veneer Oak Satin
	Ljenski nasek	Ljenski nasek	Ljenski nasek	Ljenski nasek
1.1, 7.1	640	675	765	716
1.2, 7.2	792	767	857	808
1.3***, 7.3	795	790	880	831
1.4, 7.4	740	774	864	816
5,5	1044	1079	X	1121
5,4	1114	1148	X	1190
5,3	1183	1217	X	1259
5,2	1252	1286	X	1328
5,1	1321	1356	X	1397

Extra charges (optional)	Ljenski nasek
size: "100"	35
height "220"	118
"perforated chipboard" filling	76
ventilation: sleeves, undercut	27
New Model with mixed veneer layout	208
magnetic lock	31
magnetic lock in black / white color for non-rebated doors	42
bull's eye	347
*** mirror on one side	104
*** mirror on both sides	208
hook lock with side handles (for sliding doors)	116
oblong / rectangular side handle (for sliding doors)	53
preparation for Porta SYSTEM FRAME WITH REVERSED REBATE	138
finishing natural veneer White Oak Satin / Select Black	173

Natura LINE	Natural Veneer Select	Natural Veneer Oak	Natural Veneer Oak Satin
	Ljenski nasek	Ljenski nasek	Ljenski nasek
A.1 - H.1	767	801	843

Extra charges (optional)	Ljenski nasek
size: "100"	35
height "220"	118
"perforated chipboard" filling	76
ventilation: sleeves, undercut	27
magnetic lock	31
magnetic lock in black / white color for non-rebated doors	42
hook lock with side handles (for sliding doors)	116
oblong / rectangular side handle (for sliding doors)	53
preparation for Porta SYSTEM FRAME WITH REVERSED REBATE	138
finishing natural veneer White Oak Satin / Select Black	173

Natura LOFT	Natural Veneer Oak 1 / Satin	Natural Veneer Walnut
	Ljenski nasek	Ljenski nasek
model 1.1	809	899

Extra charges (optional)	Ljenski nasek
size: "100" - all finishings	35
"perforated chipboard" filling	76
ventilation: sleeves, undercut	27
3rd 3D hinge	66

Porta System ELEGANCE - Natura LOFT	Black	
	single door	double door
wall thickness	Ljenski nasek	Ljenski nasek
B: 95 = 115 mm	875	1312
C: 120 = 140 mm	875	1312
D: 140 = 160 mm	916	1375
E: 160 = 180 mm	916	1375
F: 180 = 200 mm	947	1421
G: 200 = 220 mm	947	1421
H: 220 = 240 mm	947	1421
I: 240 = 260 mm	986	1479
J: 260 = 280 mm	986	1479
K: 280 = 300 mm	986	1479

Extra charges (optional)	Ljenski nasek
3rd 3D hinge	84
reinforcement for the self-closing device	27

Villadora RETRO	Full	Mt glass
	Ljenski nasek	Ljenski nasek
Empire, Capital 0	1772	x
Residence, Delate 0	1817	x
Empire 1	x	1661
Capital 1	x	1661
Residence 2	x	1706
Delate 1	x	1706
Delate 2	x	1706
Delate 3	x	1706

Extra charges (optional)	Ljenski nasek
ventilation: sleeves (1 row), undercut	101
magnetic lock	31

SLIDING AND FOLDING DOOR LEAVES

ALPHA, BETA - folding door leaves	White acrylic venish, Portadecor, Portasystem 3D	HO CPL, Portaperfect 3D
	Ljenski nasek	Ljenski nasek
Two - element door leaf, "honeycomb filling"	877	642

Porta SYSTEM - ALFA	Portadecor, Portasystem 3D	HO CPL, Portaperfect 3D
	Ljenski nasek	Ljenski nasek
B: 95 = 115 mm	343	399
C: 120 = 140 mm	343	399
D: 140 = 160 mm	365	388
E: 160 = 180 mm	365	388
F: 180 = 200 mm	395	418

G	200 + 220 mm	395	418
H	220 + 240 mm	395	418
I	240 + 260 mm	440	463
J	260 + 280 mm	440	463
K	280 + 300 mm	440	463

Porta SYSTEM - BETA		Portadecor, Portasynchro 3D Ljéna s nesa	HQ CPL, Portaperfect 3D Ljéna s nesa
B	95 + 115 mm	300	316
C	120 + 140 mm	300	316
D	140 + 160 mm	323	345
E	160 + 180 mm	323	345
F	180 + 200 mm	352	375
G	200 + 220 mm	352	375
H	220 + 240 mm	352	375
I	240 + 260 mm	398	420
J	260 + 280 mm	398	420
K	280 + 300 mm	398	420

Extra charges (optional)	Ljéna s nesa
size "100" (only ALFA)	33
ventilation sleeves, undercut	25
filling "perforated chipboard"	66
Group II colours of CPL 0.2mm - door leaves	33
Group II colours of CPL 0.2mm - frames	33

PORTA sliding system	Portadecor, Portasynchro 3D Ljéna s nesa	HQ CPL, Portatur, Portaperfect 3D, Portalamino Ljéna s nesa	Premium foil, Gladstone/Halfax Ljéna s nesa	Natural veneer Select and Oak Ljéna s nesa	Natural veneer Oak Satin Ljéna s nesa
		325	331	351	431

Extra charges (optional)	Ljéna s nesa
finishing natural veneer White Oak Satin	104
Group II colours of CPL 0.2mm	33

ALU sliding system	Ljéna s nesa
dim. "70"	534
dim. "80"	534
dim. "90"	534
dim. "130"	1068
dim. "150"	1068
dim. "170"	1068

Metal construction casing COMPACT	single door	double door
	Ljéna s nesa	Ljéna s nesa
	616	1233

Frame for construction casing COMPACT	TUNEL COMPACT 100mm		TUNEL COMPACT 125mm		TUNEL COMPACT 150mm	
	single door	double door	single door	double door	single door	double door
Portadecor, Portasynchro 3D	406	527	414	538	422	549
Portatur, HQ CPL gr. I, Portaperfect 3D, Portalamino	426	553	434	563	442	574
Premium foil, Gladstone/Halfax	446	578	453	589	461	599
UV Acrylic paint	618	803	626	814	635	825

Extra charges (optional)	Ljéna s nesa
synchronization system for double leaves	106
Group II colours of CPL 0.2mm	33

BLACK Sliding system	White Premium Paint	UV White Paint
	Ljéna s nesa	Ljéna s nesa
Door leaf prepared for the sliding mechanism	540	630

Sliding mechanism - BLACK	Ljéna s nesa
	353

Extra charges (optional)	Ljéna s nesa
filling "perforated chipboard"	70
oblong / rectangular side handle (for sliding doors)	49
handle Black 1	27
double doors connecting clamp solution	14
set of 5 distancing sleeves	55
set of two closers	104

SLIDE Sliding system	Portaperfect 3D	Gladstone/Halfax
	Ljéna s nesa	Ljéna s nesa
Door leaf prepared for the sliding mechanism	446	672

Sliding mechanism - SLIDE	Ljéna s nesa
	547

Extra charges (optional)	Ljéna s nesa
oblong / rectangular side handle (for sliding doors)	49

EFEKT Sliding system	White Premium Paint	Portaperfect 3D	Gladstone/Halfax
	Ljéna s nesa	Ljéna s nesa	Ljéna s nesa
Door leaf prepared for the sliding mechanism	650	509	734

Sliding mechanism - EFEKT	Ljéna s nesa
	785

Extra charges (optional)	Ljéna s nesa
size "100"	35
oblong / rectangular side handle (for sliding doors)	49

METAL sliding system	Ljéna s nesa
	446

Extra charges (optional)	Ljéna s nesa
Second group of rollers	13
Mounting dowels	23

INTERIOR ENTRANCE DOORS

ENTRO - door leaf without accessories	Flush
	Lijena e mesa
CPL HQ 0,2 mm	383
AGAT - metal frame with 90mm stainless steel threshold	Lijena e mesa
	408
Extra charges (optional)	Lijena e mesa
size: "100"	33
installation dowels for the door frame - 6 pcs	23
door: Group II colours of CPL 0,2mm	33
metallic frame: Structured black	13
metallic frame: Group II and III of RAL colours	33
expanding the frame section from 101 to 150 mm	36
expanding the frame section from 151 to 270 mm	72
expanding the frame section from 271 to 390 mm	108

ENTRO TOP - door leaf without accessories	Flush
	Lijena e mesa
CPL HQ 0,2 mm	452
ENTRO TOP - metal frame with 90mm threshold	Lijena e mesa
with Exterior architrave	456
with Interior architrave	408
Extra charges (optional)	Lijena e mesa
size: "100"	33
installation dowels for the door frame - 6 pcs	23
door: Group II colours of CPL 0,2mm	33
metallic frame: Structured black	13
metallic frame: Group II and III of RAL colours	33
expanding the frame section from 101 to 150 mm	36
expanding the frame section from 151 to 270 mm	72
expanding the frame section from 271 to 390 mm	108

AGAT, OPAL - door leaf without accessories	Portafino 3D	CPL HQ 0,2 mm, Portafino 3D (flush)	CPL HQ 0,7 mm (flush) and PVC (all)	Gladstone/Halifax (horizontal stripes)	Natural Veneer
	Lijena e mesa	Lijena e mesa	Lijena e mesa	Lijena e mesa	Lijena e mesa
AGAT	546	611	696	696	995
OPAL	700	765	851	851	1159

AGAT, OPAL - Accessories	Lijena e mesa
PORTA AGAT - Metal handle; colour: silver, brown, standard	77
PORTA AGAT - Metal handle; colour: silver, brown, knob	83
PORTA AGAT - Upper lock board; colour: silver, brown	32
PORTA OPAL - Metal handle; colour: gold, titanium, brown, standard	90
PORTA OPAL - Metal handle; colour: gold, titanium, brown, knob	106
PORTA OPAL - Upper lock board; colour: gold, titanium, brown	42
Two cylinder inserts Class "B", colour: silver, gold	89
AGAT, OPAL - metal frame with stainless steel threshold 90mm	Lijena e mesa
AGAT with 90mm stainless steel threshold	408
OPAL with 90mm stainless steel threshold	488
STAINLESS STEEL TRESHOLD	Lijena e mesa
STANDARD - 90 mm	78
EXTENDED - 120 mm	97

Extra charges (optional)	Lijena e mesa
size: "100"	33
eye viewer	14
adjustable striker lock in metal frame	17
glass application in flush models, white or black	163
preparation for Project frame	36
preparation for Project Premium frame	57
door: Group II colours of CPL 0,2mm and 0,7mm	33
frame: Group II colours of CPL 0,2mm	33
metallic frame: Structured black	13
metallic frame: Group II and III of RAL colours	33
door: Gladstone/Halifax (vertical stripes)	85
door: natural veneer White Oak Satin / Select Black	208
door: natural veneer Oak Satin (other colours)	52
door: natural veneer Walnut	90
door: New Model with mixed veneer layout	208
frame: natural veneer White Oak Satin / Select Black	52
frame: natural veneer Oak Satin (other colours)	35
frame: natural veneer Walnut	35
installation dowels (AGAT) door frame - 6 pcs	23
reinforcement for the self-closing device in the metal frame	25
expanding the frame section from 106 to 150 mm	36
expanding the frame section from 151 to 270 mm	72
expanding the frame section from 271 to 390 mm	108
silver marquetry on one side - synthetic veneer	23
silver marquetry on 2 sides - synthetic veneer	47
silver marquetry on one side - natural veneer	26
silver marquetry on 2 sides - natural veneer	53

Steel SAFE Type 2 - door leaf	2 independent locks
	Lijena e mesa
Model A.0 - Polyester Paint	949
Model A.3 - PVC laminated steel sheet	1039
PORTA OPAL - Metal handle class 2	60
PORTA OPAL - Upper lock board class 2	42
Cylinder LOB class A - 2 pieces	68
Steel SAFE type 2 - metal frame	Lijena e mesa
	475
Extra charges (optional)	Lijena e mesa
Dimension "100"	104
Eye viewer	14

Cylinders LOG class B (instead of cylinders class A) - 2 pieces	130
Mineral Wool filling	63
Reinforcement for self closing mechanism	42

Steel SAFE type 3 - door leaf	Strip lock with 1 cylinder	Strip lock with 2 cylinders
	Uljena s neša	Uljena s neša
Model A.0 - Polyester Paint	1216	1216
Model A.0 - PVC laminated steel sheet	1406	1406
SAFE - Metal handle class 3	132	132
SAFE - Upper lock board class 3	X	55
Cylinder WLKA class A - 1 piece	47	X
Cylinder WLKA class A - 2 pieces	X	94

Steel SAFE type 3 - metal frame	Uljena s neša
	475

Extra charges (optional)	Uljena s neša
Dimension "100"	104
Eye viewer	14
Cylinder WLKA class B (instead of cylinder class A) - 1 piece	96
Cylinder WLKA class B (instead of cylinder class A) - 2 pieces	173
Mineral Wool filling	63
Reinforcement for self closing mechanism	42

Steel SECURE - door leaf	Brossica tip banda cu 1 cilindru	Brossica tip banda cu 2 cilindri
	Uljena s neša	Uljena s neša
Model A.0 - Polyester Paint	1185	1246
Model A.0 - PVC laminated steel sheet	1289	1350
SECURE - Metal handle	96	96
SECURE - Upper lock board	X	41
Cylinder class "C" - 1 pc.	49	X
Cylinders set class "C" - 2 pcs.	X	84

Steel SECURE - metal frame	Uljena s neša
	654

Extra charges (optional)	Uljena s neša
Eye viewer	14
Group 2 of painted colours	35
Solulite inchidere cu sic	187

QUARTZ - door leaf without accessories	TYPE I	TYPE II	TYPE III
	Uljena s neša	Uljena s neša	Uljena s neša
Portaynochio 3D	760	793	846
CPL HQ 0,2mm, Portaperfect 3D (flush)	825	898	1011
CPL HQ 0,7mm (flush) and PVC (all patterns)	909	943	1065
Gladstone/Hellix (horizontal stripes)	909	943	1065
Natural Veneer	1222	1257	1419

Accessories	Uljena s neša
PORTA AGAT - Metal handle, colour: silver, brown, standard	77
PORTA AGAT - Metal handle, colour: silver, brown, knob	93
PORTA AGAT - Upper lock board, colour: silver, brown	32
PORTA OPAL - Metal handle, colour: gold, titanium, brown, standard	90
PORTA OPAL - Metal handle, colour: gold, titanium, brown, knob	106
PORTA OPAL - Upper lock board, colour: gold, titanium, brown	42
Two cylinder inserts Class "B", colour: silver, gold	89

QUARTZ - metal frame	TYPE I	TYPE II	TYPE III
	Uljena s neša	Uljena s neša	Uljena s neša
Metal frame with Metal Threshold 90mm	503	503	587

Extra charges (optional)	Uljena s neša
size: "100"	33
eye viewer	14
preparation for Project frame	36
preparation for Project Premium frame	57
door: Group II colours of CPL, 0,2mm and 0,7mm	34
metallic frame: Structured look	13
metallic frame: Group II and III of RAL colours	33
door: Gladstone/Hellix vertical stripes	85
door: natural veneer White Oak Satin / Select Black	208
door: natural veneer Oak Satin (other colours)	52
door: natural veneer Walnut	90
door: New Model with mixed veneer layout	208
reinforcement for the self-closing device in the metal frame	25
expanding the frame section from 101 to 150 mm	53
expanding the frame section from 151 to 270 mm	108
expanding the frame section from 271 to 390 mm	162
silver marquetry on one side - synthetic veneer	23
silver marquetry on 2 sides - synthetic veneer	47
silver marquetry on one side - natural veneer	26
silver marquetry on 2 sides - natural veneer	53

GRANIT class C - door leaf without accessories	TYPE I	TYPE II
	Uljena s neša	Uljena s neša
CPL HQ 0,2mm (flush)	972	1188
CPL HQ 0,7mm (flush)	1057	1273
Natural Veneer	1378	1608

GRANIT class C - Accessories	Uljena s neša
PORTA GRANIT (3rd class ENV) - Metal handle, colour: gold, titanium, brown, standard	150
PORTA GRANIT (3rd class ENV) - Metal handle, colour: gold, titanium, brown, knob	162
PORTA GRANIT (3rd class ENV) - Upper lock board, colour: gold, titanium, brown	76
Two cylinder inserts Class "C", colour: silver, gold	97

GRANIT class C - metal frame	TYPE I	TYPE II
	Uljena s neša	Uljena s neša
Metal frame with Metal Threshold 120 mm	597	597

Extra charges (optional)	Uljena s neša
size: "100"	33

eye viewer	14
adjustable striker lock in metal frame (Type I)	17
preparation for Project frame	36
preparation for Project Premium frame	57
door: Group II colours of CPL 0,2mm and 0,7mm	33
metallic frame: Structured black	13
metallic frame: Group II and III of RAL colours	33
door: natural veneer White Oak Satin / Select Black	208
door: natural veneer Oak Satin (other colours)	52
door: natural veneer Walnut	90
door: New Model with mixed veneer layout	208
Cyclops eye-viewer	69
expanding the frame section from 101 to 150 mm	53
expanding the frame section from 151 to 270 mm	108
expanding the frame section from 271 to 360 mm	162
silver marquetry on one side - synthetic veneer	23
silver marquetry on 2 sides - synthetic veneer	47
silver marquetry on one side - natural veneer	26
silver marquetry on 2 sides - natural veneer	53

EXTREME RC2 - door leaf	CPL HQ 0,2 mm	CPL HQ 0,7 mm	Gladstone/Halifax (horizontal stripes)	Natural Veneer
	Ljema s mesa	Ljema s mesa	Ljema s mesa	Ljema s mesa
Full plain door	675	1678	960	1275

EXTREME RC2 - metal frame	Standard striker lock
	Ljema s mesa
Metal frame with Metal Threshold	497

Extra charges (optional)	Ljema s mesa
size: "100"	33
eye viewer	13
preparation for Project frame	36
preparation for Project Premium frame	57
door: Group II colours of CPL 0,2mm and 0,7mm	33
frame: Group II colours of CPL 0,2mm	33
metallic frame: Structured black	13
metallic frame: Group II and III of RAL colours	33
door: Gladstone/Halifax vertical stripes	85
door: natural veneer White Oak Satin / Select Black	208
door: natural veneer Oak Satin (other colours)	52
door: natural veneer Walnut	90
door: New Model with mixed veneer layout	208
Cyclops eye-viewer	69
expanding the frame section from 101 to 150 mm	53
expanding the frame section from 151 to 270 mm	108
expanding the frame section from 271 to 360 mm	162
silver marquetry on one side - synthetic veneer	23
silver marquetry on 2 sides - synthetic veneer	47
silver marquetry on one side - natural veneer	26
silver marquetry on 2 sides - natural veneer	53

EXTREME RC 3 - door leaf	Strip lock with 1 cylinder	Strip lock with 2 cylinders
	Ljema s mesa	Ljema s mesa
CPL HQ 0,2mm (flush) - all frames	927	1058
CPL HQ 0,7mm (flush) - all frames	1012	1142
Gladstone/Halifax (horizontal stripes) - all frames	1012	1142
Natural Veneer	1330	1469
SAFE - Metal handle class 3 - inox, titan	132	132
SAFE - Upper lock board class 3 - inox, titan	X	55
Cylinder class C - 1 piece	57	X
Cylinder class C - 2 pieces	X	115

EXTREME RC 3 - door leaf	Strip lock with 1 cylinder	Strip lock with 2 cylinders
	Ljema s mesa	Ljema s mesa
CPL HQ 0,2mm (flush) - all frames	1086	1217
CPL HQ 0,7mm (flush) - all frames	1171	1301
Gladstone/Halifax (horizontal stripes) - all frames	1171	1301
Natural Veneer	1518	1661
SAFE - Metal handle class 3 - inox, titan	132	132
SAFE - Upper lock board class 3 - inox, titan	X	55
Cylinder class C - 1 piece	57	X
Cylinder class C - 2 pieces	X	115

EXTREME RC 3 - metal frame	Strip lock with 1 cylinder	Strip lock with 2 cylinders
	Ljema s mesa	Ljema s mesa
Metal frame with Metal Threshold	520	520

EXTREME RC3 - reinforced adjustable frame Porta System	thickness C, D	thickness E, F, G	thickness H, L, J, K
	Ljema s mesa	Ljema s mesa	Ljema s mesa
CPL HQ 0,2mm	1094	1128	1175
Gladstone/Halifax	1123	1169	1214
Natural Veneer	1372	1420	1469

Extra charges (optional)	Ljema s mesa
size: "100"	33
eye viewer	13
preparation for Project frame	36
preparation for Project Premium frame	57
door: Group II colours of CPL 0,2mm and 0,7mm	33
frame: Group II colours of CPL 0,2mm	33
metallic frame: Structured black	13
metallic frame: Group II and III of RAL colours	33
door: Gladstone/Halifax vertical stripes	85
door: natural veneer White Oak Satin / Select Black	208
door: natural veneer Oak Satin (other colours)	52
door: natural veneer Walnut	90
door: New Model with mixed veneer layout	208
spring closer solution	187
Cyclops eye-viewer	69
frame: natural veneer White Oak Satin / Select Black	104
frame: natural veneer Oak Satin (other colours)	52
frame: natural veneer Walnut	35
expanding the frame section from 101 to 150 mm	53
expanding the frame section from 151 to 270 mm	108

expanding the frame section from 271 to 390 mm	162
silver marquetry on one side - synthetic veneer	23
silver marquetry on 2 sides - synthetic veneer	47
silver marquetry on one side - natural veneer	26
silver marquetry on 2 sides - natural veneer	53

EXTREME RC 4 - door leaf	Strip lock with 1	Strip lock with 2
	Ljens & nees	Ljens & nees
CPL HQ 0,2mm (flush)	1388	1425
CPL HQ 0,7mm (flush)	1452	1510
Gladstone/Halifax (horizontal stripes)	1452	1510
Natural Veneer	1681	1738
SAFE Metal handle	159	159
Upper lock board	X	83
Cylinder - 1 pc.	55	X
Cylinder - 2 pcs.	X	104

EXTREME RC 4 - door leaf Type II	Strip lock with 1	Strip lock with 2
	Ljens & nees	Ljens & nees
CPL HQ 0,2mm (flush)	1494	1551
CPL HQ 0,7mm (flush)	1579	1636
Gladstone/Halifax (horizontal stripes)	1579	1636
Natural Veneer	1807	1864
SAFE Metal handle	159	159
Upper lock board	X	83
Cylinder - 1 pc.	55	X
Cylinder - 2 pcs.	X	104

EXTREME RC 4 - metal frame	Strip lock with 1	Strip lock with 2
	Ljens & nees	Ljens & nees
Metal frame with Metal Threshold	750	750

Extra charges (optional)	Ljens & nees
size: "100"	35
eye viewer	14
panoramic eye-viewer	69
preparation for Project frame	38
preparation for Project Premium frame	61
door: Group II colours of CPL 0,2mm and 0,7mm	35
frame: Group II colours of CPL 0,2mm	35
metallic frame: Structured Black	14
metallic frame: Group II and III RAL colours	35
door: Gladstone/Halifax vertical stripes	90
door: natural veneer White Oak Satin / Select Black	208
door: natural veneer Oak Satin (other colours)	52
door: New Model with mixed veneer layout	90
door: New Model with mixed veneer layout	208
Sprung cleaner	187
Cylindex eye-viewer	69
frame: natural veneer White Oak Satin / Select Black	104
frame: natural veneer Oak Satin (other colours)	52
frame: natural veneer Walnut	35
expanding the frame section from 101 to 150 mm	57
expanding the frame section from 151 to 270 mm	115
expanding the frame section from 271 to 390 mm	172
silver marquetry on one side - synthetic veneer	25
silver marquetry on 2 sides - synthetic veneer	50
silver marquetry on one side - natural veneer	26
silver marquetry on 2 sides - natural veneer	53

EXTERIOR DOORS

Steel SAFE RC2 - door leaf	2 independent locks +	
	drill for handle	drill for handle and handle bar
POLYESTER PAINT	Ljens & nees	Ljens & nees
	849	849
Model B1, C1, D1	1717	1717
PORTA OPAL - Metal handle class 2	90	X
PORTA OPAL SOLO - Metal handle class 2	X	90
PORTA OPAL - Upper lock board class 2	42	42
Cylinder LOB class A - 2 pieces	68	68
Rounded / Rectangular handle on one side 150 cm	X	297

Steel SAFE RC2 - door leaf	2 independent locks +	
	drill for handle	drill for handle and handle bar
PVC laminated steel sheet	Ljens & nees	Ljens & nees
	1039	1039
Model B1, C1, D1	1907	1907
PORTA OPAL - Metal handle class 2	90	X
PORTA OPAL SOLO - Metal handle class 2	X	90
PORTA OPAL - Upper lock board class 2	42	42
Cylinder LOB class A - 2 pieces	68	68
Rounded / Rectangular handle on one side 150 cm	X	297

SAFE type 2 - metal frame	Without THERMO	With THERMO
	Ljens & nees	Ljens & nees
	475	989

Extra charges (optional)	Ljens & nees
Dimension "100"	104
Eye viewer	14
Drip cap in colour of door leaf	17
Cylinders LOB class B (instead of cylinders class A) - 2 pieces	108
stainless steel panel 150mm on both sides - models Ad, B1, F1	152
Mineral Wool filling	63
Preparation for shattering	49
Reinforcement for self-closing mechanism	42

Steel SAFE RC3 - door leaf	Strip lock with 1 cylinder +		Strip lock with 2 cylinders +	
	drill for handle	drill for handle and handle bar	drill for handle	drill for handle and handle bar
POLYESTER PAINT	Ljens & nees	Ljens & nees	Ljens & nees	Ljens & nees
	1216	1216	1285	1285
Model B1, C1, D1	2092	2092	2151	2151
SAFE - Metal handle class 3	132	X	132	X

SAFE SOLO - Metal handle class 3	X	132	X	132
SAFE - Upper lock board class 3	X	X	52	52
Cylinder WILKA class A - 1 piece	82	47	X	X
Cylinder WILKA class A - 2 pieces	X	X	98	98
Rounded / Rectangular handle on one side 150 cm	X	297	X	297

Steel SAFE RC3 - door leaf	Strip lock with 1 cylinder +		Strip lock with 2 cylinders +	
	drill for handle	drill for handle and handle-bar	drill for handle	drill for handle and handle-bar
PVC laminated steel sheet	Ljeva s neza	Ljeva s neza	Ljeva s neza	Ljeva s neza
Model A0	1406	1406	1475	1475
Model B1, C1, D1	2272	2272	2341	2341
SAFE - Metal handle class 3	132	X	132	X
SAFE SOLO - Metal handle class 3	X	132	X	132
SAFE - Upper lock board class 3	X	X	55	55
Cylinder WILKA class A - 1 piece	47	47	X	X
Cylinder WILKA class A - 2 pieces	X	X	98	98
Rounded / Rectangular handle on one side 150 cm	X	297	X	297

SAFE type 3 - metal frame	Without THERMO	With THERMO
	Ljeva s neza	Ljeva s neza
	475	969

Extra charges (optional)	Ljeva s neza
Dimension "100"	104
Eye viewer	14
Drip cap in colour of door leaf (included for door with stiff chain)	17
Cylinder WILKA class B (instead of cylinder class A) - 1 piece	83
Cylinder WILKA class B (instead of cylinder class A) - 2 pieces	138
stainless steel panel 150mm on both sides - models A0, B1, F1	152
Mineral Wool filling	63
Preparation for shortening	49
Reinforcement for self closing mechanism	42

Steel ENERGY PROTECT - door leaf	Strip lock with 1 cylinder +		Strip lock with 2 cylinders +	
	drill for handle	drill for handle and handle-bar	drill for handle	drill for handle and handle-bar
POLYESTER PAINT	Ljeva s neza	Ljeva s neza	Ljeva s neza	Ljeva s neza
Model B1, C1, D1	1289	1289	1393	1393
SAFE - Metal handle class 3	2155	2155	2258	2258
SAFE SOLO - Metal handle class 3	132	X	132	X
SAFE - Upper lock board class 3	X	132	X	132
SAFE - Upper lock board class 3	X	X	55	55
Cylinder WILKA class A - 1 piece	58	58	X	X
Cylinder WILKA class A - 2 pieces	X	X	116	116
Rounded / Rectangular handle on one side 150 cm	X	297	X	297

Steel ENERGY PROTECT - door leaf	Strip lock with 1 cylinder +		Strip lock with 2 cylinders +	
	drill for handle	drill for handle and handle-bar	drill for handle	drill for handle and handle-bar
PVC laminated steel sheet	Ljeva s neza	Ljeva s neza	Ljeva s neza	Ljeva s neza
Model B1, C1, D1	1480	1480	1583	1583
SAFE - Metal handle class 3	2345	2345	2449	2449
SAFE - Metal handle class 3	132	X	132	X
SAFE SOLO - Metal handle class 3	X	132	X	132
SAFE - Upper lock board class 3	X	X	55	55
Cylinder WILKA class A - 1 piece	58	58	X	X
Cylinder WILKA class A - 2 pieces	X	X	116	116
Rounded / Rectangular handle on one side 150 cm	X	297	X	297

ENERGY PROTECT - metal frame	With THERMO
	Ljeva s neza
	1056

Extra charges (optional)	Ljeva s neza
Dimension "100"	104
Eye viewer	14
Drip cap in colour of door leaf (included for door with stiff chain)	17
Cylinder WILKA class B (instead of cylinder class A) - 1 piece	105
Cylinder WILKA class B (instead of cylinder class A) - 2 pieces	166
stainless steel panel 150mm on both sides - models A0, B1, F1	152
Mineral Wool filling	69
Preparation for shortening	49
Reinforcement for self closing mechanism	42

TECHNICAL DOORS

Rw=27 dB; Rw=32 dB - door leaves	Ljeva s neza
Rw=27 dB, CPL HQ 0.2 mm (flush), for metal frame	595
Rw=27 dB, CPL HQ 0.2 mm (flush), for adjustable frame Porta System	616
Rw=27 dB, CPL HQ 0.7 mm (flush), for metal frame	680
Rw=27 dB, CPL HQ 0.7 mm (flush), for adjustable frame Porta System	701
Rw=27 dB, Gladstone/Halfax (horizontal stripes), for metal frame	680
Rw=27 dB, Gladstone/Halfax (horizontal stripes), for adjustable frame Porta System	701
Rw=27 dB, Natural Veneer, for metal frame	678
Rw=27 dB, Natural Veneer, for adjustable frame Porta System	1000
Rw=32 dB, CPL HQ 0.2 mm (flush), for metal frame	713
Rw=32 dB, CPL HQ 0.2 mm (flush), for adjustable reinforced frame Porta System	639
Rw=32 dB, CPL HQ 0.7 mm (flush), for metal frame	798
Rw=32 dB, CPL HQ 0.7 mm (flush), for adjustable reinforced frame Porta System	725
Rw=32 dB, Gladstone/Halfax (horizontal stripes), for metal frame	798
Rw=32 dB, Gladstone/Halfax (horizontal stripes), for adjustable reinforced frame Porta System	725
Rw=32 dB, Natural Veneer, for metal frame	1090
Rw=32 dB, Natural Veneer, for adjustable reinforced frame Porta System	1011

Adjustable reinforced frame Porta System for 32dB	CPL HQ 0.2 mm	Gladstone/Halfax	Natural Veneer
	wall thickness	Ljeva s neza	Ljeva s neza
A 75 + 95 mm	376	415	666
B 95 + 115 mm	422	461	711
C 120 + 140 mm	422	461	711
D 140 + 160 mm	448	488	739
E 160 + 180 mm	448	488	739
F 180 + 200 mm	458	498	764

G	200 + 220 mm	495	534	795
H	220 + 240 mm	495	534	795
I	240 + 260 mm	531	570	854
J	260 + 280 mm	531	570	854
K	280 + 300 mm	531	570	854

Metal frame for 27 dB and 32 dB		Ljema s nesa
		339

Extra charges (optional)		Ljema s nesa
size: "100"		33
preparation for Project frame		36
preparation for Project Premium frame		57
door: Group II colours of CPL 0,2mm and 0,7mm		33
frame: Group II colours of CPL 0,2mm		33
metallic frame: Group II RAL colours		33
27dB door with tripple part hinges (with PS frames)		39
door: Gladstone/Halifax (vertical stripes)		85
door: natural veneer White Oak Satin / Select Black		208
door: natural veneer Oak Satin (other colours)		52
door: natural veneer Walnut		90
door: New Model with mixed veneer layout		208
frame: natural veneer White Oak Satin / Select Black		104
frame: natural veneer Oak Satin (other colours)		35
frame: natural veneer Walnut		35
leaf frame made of exotic timber (in Re = 27 dB only)		58
installation dowels (metal door frame)		23
reinforcement for the self-closing device in the metal frame		25
mounting anchors (metal frame)		23
expanding the frame section from 101 to 150 mm		36
expanding the frame section from 151 to 270 mm		72
expanding the frame section from 271 to 390 mm		108
silver marquetry on one side - synthetic veneer		23
silver marquetry on 2 sides - synthetic veneer		47
silver marquetry on one side - natural veneer		26
silver marquetry on 2 sides - natural veneer		53

Porta SILENCE 37 dB		Ljema s nesa
Rw=37 dB, CPL HQ 0,2 mm (flush), for metal frame		791
Rw=37 dB, CPL HQ 0,2 mm (flush), for MDF 100mm rebated frame		791
Rw=37 dB, CPL HQ 0,2 mm (flush), for MDF 100mm non-rebated frame		791
Rw=37 dB, CPL HQ 0,2 mm (flush), for adjustable frame Porta System		791
Rw=37 dB, CPL HQ 0,7 mm (flush), for metal frame		876
Rw=37 dB, CPL HQ 0,7 mm (flush), for MDF 100mm rebated frame		876
Rw=37 dB, CPL HQ 0,7 mm (flush), for MDF 100mm non-rebated frame		876
Rw=37 dB, CPL HQ 0,7 mm (flush), for adjustable frame Porta System		876
Rw=37 dB, Gladstone/Halifax (horizontal stripes), for metal frame		876
Rw=37 dB, Gladstone/Halifax (horizontal stripes), for MDF 100mm rebated frame		876
Rw=37 dB, Gladstone/Halifax (horizontal stripes), for MDF 100mm non-rebated frame		876
Rw=37 dB, Gladstone/Halifax (horizontal stripes), for adjustable frame Porta System		876
Rw=37 dB, Natural Veneer, for metal frame		1435
Rw=37 dB, Natural Veneer, for MDF 100mm rebated frame		1435
Rw=37 dB, Natural Veneer, for MDF 100mm non-rebated frame		1435
Rw=37 dB, Natural Veneer, for adjustable frame Porta System		1435

Porta SILENCE 37 dB + EI 30		Ljema s nesa
Rw=37 dB, CPL HQ 0,2 mm (flush), for metal frame		897
Rw=37 dB, CPL HQ 0,2 mm (flush), for MDF 100mm rebated frame		897
Rw=37 dB, CPL HQ 0,2 mm (flush), for MDF 100mm non-rebated frame		907
Rw=37 dB, CPL HQ 0,2 mm (flush), for adjustable frame Porta System		907
Rw=37 dB, CPL HQ 0,7 mm (flush), for metal frame		982
Rw=37 dB, CPL HQ 0,7 mm (flush), for MDF 100mm rebated frame		982
Rw=37 dB, CPL HQ 0,7 mm (flush), for MDF 100mm non-rebated frame		991
Rw=37 dB, CPL HQ 0,7 mm (flush), for adjustable frame Porta System		991
Rw=37 dB, Gladstone/Halifax (horizontal stripes), for metal frame		982
Rw=37 dB, Gladstone/Halifax (horizontal stripes), for MDF 100mm rebated frame		982
Rw=37 dB, Gladstone/Halifax (horizontal stripes), for MDF 100mm non-rebated frame		991
Rw=37 dB, Gladstone/Halifax (horizontal stripes), for adjustable frame Porta System		991
Rw=37 dB, Natural Veneer, for metal frame		1548
Rw=37 dB, Natural Veneer, for MDF 100mm rebated frame		1548
Rw=37 dB, Natural Veneer, for MDF 100mm non-rebated frame		1558
Rw=37 dB, Natural Veneer, for adjustable frame Porta System		1558

MDF 100mm frame for RW 37 dB - rebated		Ljema s nesa
CPL HQ, Gladstone/Halifax		490
Natural Veneer		758

MDF 100mm frame for RW 37 dB - non-rebated		Ljema s nesa
CPL HQ, Gladstone/Halifax		788
Natural Veneer		1044

Adjustable reinforced frame Porta System for RW 37 dB			
	CPL HQ 0,2 mm	Gladstone/Halifax	Natural Veneer
wall thickness	Ljema s nesa	Ljema s nesa	Ljema s nesa
C 120 + 140 mm	868	908	1213
D 140 + 160 mm	923	962	1270
E 160 + 180 mm	923	962	1270
F 180 + 200 mm	932	971	1280
G 200 + 220 mm	932	971	1280
H 220 + 240 mm	932	971	1280
I 240 + 260 mm	986	1025	1337
J 260 + 280 mm	986	1025	1337
K 280 + 300 mm	986	1025	1337

Metal frame for door 37 dB		Ljema s nesa
		647

Extra charges (optional)		Ljema s nesa
size: "100"		33
preparation for Project frame		36
preparation for Project Premium frame		57
door: Group II colours of CPL 0,2mm and 0,7mm		33
frame: Group II colours of CPL 0,2mm		33
metallic frame: Group II RAL colours		33
door: Gladstone/Halifax (vertical stripes)		85
door: natural veneer White Oak Satin / Select Black		208
door: natural veneer Oak Satin (other colours)		52
door: natural veneer Walnut		90
door: New Model with mixed veneer layout		208
Cyclops eye-viewer		69

frame: natural veneer White Oak Satin / Select Black	104
frame: natural veneer Oak Satin (other colours)	52
frame: natural veneer Walnut	35
expanding the frame section from 101 to 150 mm	36
expanding the frame section from 151 to 270 mm	72
expanding the frame section from 271 to 390 mm	108
silver marquetry on one side - synthetic veneer	23
silver marquetry on 2 sides - synthetic veneer	47
silver marquetry on one side - natural veneer	26
silver marquetry on 2 sides - natural veneer	53

RW=42 dB - door leaves	for adjustable frame (recessed)	for metal frame	for MDF frame
	Ujens & nees	Ujens & nees	Ujens & nees
CPL 0,2mm gr.1	1387	1504	1198
CPL 0,7mm gr.1	1471	1589	1282
Gladstone/Halfax (vertical stripes)	1556	1674	1369
Natural Veneer	1804	1929	1604

Adjustable reinforced frame Porta System for 42 dB	CPL HQ 0.2 mm	Gladstone/Halfax	Natural Veneer
wall thickness	Ujens & nees	Ujens & nees	Ujens & nees
C 120 - 140 mm	686	705	1019
D 140 - 160 mm	749	788	1066
E 160 - 180 mm	749	788	1066
F 180 - 200 mm	749	788	1066
G 200 - 220 mm	749	788	1066
H 220 - 240 mm	840	880	1183
I 240 - 260 mm	840	880	1183
J 260 - 280 mm	840	880	1183
K 280 - 300 mm	840	880	1183

Metal frame for RW 42 dB	Ujens & nees
	601

MDF frame for RW 42 dB	Ujens & nees
CPL HQ (flush)	879
Gladstone/Halfax	899
Natural Veneer	1224

Extra charges (optional)	Ujens & nees
size: "100"	33
preparation for Project frame	36
preparation for Project Premium frame	57
door: Group II colours of CPL 0,2mm and 0,7mm	39
frame: Group II colours of CPL 0,2mm	33
metallic frame: Group II RAL colours	33
door: natural veneer White Oak Satin / Select Black	208
door: natural veneer Oak Satin (other colours)	52
door: natural veneer Walnut	90
door: New Model with mixed veneer layout	308
Cyclips eye-veneer	69
frame: natural veneer White Oak Satin / Select Black	104
frame: natural veneer Oak Satin (other colours)	35
frame: natural veneer Walnut	35
reinforcement for the self-closing device in the Porta SYSTEM	25
expanding the frame section from 101 to 150 mm	53
expanding the frame section from 151 to 270 mm	108
expanding the frame section from 271 to 390 mm	162
silver marquetry on one side - synthetic veneer	23
silver marquetry on 2 sides - synthetic veneer	47
silver marquetry on one side - natural veneer	26
silver marquetry on 2 sides - natural veneer	53

INNOVO 37 dB - door leaf	Ujens & nees
CPL HQ 0,2 mm (flush)	651
CPL HQ 0,7 mm (flush)	938
Gladstone / Halfax (horizontal stripes)	938

Adjustable reinforced frame INNOVO 37 dB	CPL HQ 0.2 mm	Gladstone/Halfax
wall thickness	Ujens & nees	Ujens & nees
C 120 - 140 mm	591	590
D 140 - 160 mm	603	642
E 160 - 180 mm	603	642
F 180 - 200 mm	620	660
G 200 - 220 mm	620	660
H 220 - 240 mm	620	660
I 240 - 260 mm	664	703
J 260 - 280 mm	664	703
K 280 - 300 mm	664	703

Metal frame for INNOVO 37 dB	Ujens & nees
	442

Extra charges (optional)	Ujens & nees
size: "100"	34
door: Group II colours of CPL 0,2mm and 0,7mm	34
frame: Group II colours of CPL 0,2mm	33
metallic frame: Group II RAL colours	33
door: Gladstone/Halfax (vertical stripes)	68
expanding the frame section from 101 to 150 mm	36
expanding the frame section from 151 to 270 mm	72
expanding the frame section from 271 to 390 mm	108
silver marquetry on one side - synthetic veneer	24
silver marquetry on 2 sides - synthetic veneer	49
silver marquetry on one side - natural veneer	26
silver marquetry on 2 sides - natural veneer	51

INNOVO 42 dB - door leaf	Ujens & nees
CPL HQ 0,2 mm (flush) for Metal frame	1418
CPL HQ 0,7 mm (flush) for Metal frame	1506
Gladstone / Halfax (horizontal stripes) for Metal frame	1594
CPL HQ 0,2 mm (flush) for MDF fixed profile frame	1130
CPL HQ 0,7 mm (flush) for MDF fixed profile frame	1218
Gladstone / Halfax (horizontal stripes) for MDF fixed profile frame	1505
CPL HQ 0,2 mm (flush) for Porta System frame	1425
CPL HQ 0,7 mm (flush) for Porta System frame	1514

Gladstone / Halifax (horizontal stripes) for Porta System frame	1601
INNOVO 42 dB - door leaf + EI30	
CPL HQ 0.2 mm (flush) for Metal frame	1522
CPL HQ 0.7 mm (flush) for Metal frame	1610
Gladstone / Halifax (horizontal stripes) for Metal frame	1698
CPL HQ 0.2 mm (flush) for MDF fixed profile frame	1327
CPL HQ 0.7 mm (flush) for MDF fixed profile frame	1415
Gladstone / Halifax (horizontal stripes) for MDF fixed profile frame	1503

Adjustable reinforced frame INNOVO 42 dB		CPL HQ 0.2 mm	Gladstone/ Halifax
wall thickness		Ljens & nees	Ljens & nees
C 120 - 140 mm		245	299
D 140 - 160 mm		267	281
E 160 - 180 mm		267	281
F 180 - 200 mm		267	281
G 200 - 220 mm		267	281
H 220 - 240 mm		300	314
I 240 - 260 mm		300	314
J 260 - 280 mm		300	314
K 280 - 300 mm		300	314

Metal frame for INNOVO 42 dB	Ljens & nees
	781

MDF frame for INNOVO 42 dB	Ljens & nees
CPL HQ (flush) and Gladstone / Halifax	289

Extra charges (optional)	Ljens & nees
size: "100"	34
door: Group II colours of CPL 0.2mm and 0.7mm	34
frame: Group II colours of CPL 0.2mm	33
metallic frame: Group II RAL colours	33
door: Gladstone/ Halifax (vertical stripes)	88
expanding the frame section from 101 to 150 mm	36
expanding the frame section from 151 to 270 mm	72
expanding the frame section from 271 to 350 mm	108
reinforcement for the self-closing device in the frame	26
silver marquetry on one side - synthetic veneer	24
silver marquetry on 2 sides - synthetic veneer	49
silver marquetry on one side - natural veneer	26
silver marquetry on 2 sides - natural veneer	51

PURE 57 dB - door leaf	
CPL HQ 0.2 mm (flush)	3199
CPL HQ 0.7 mm (flush)	3574
Gladstone / Halifax (horizontal stripes)	3550

Adjustable reinforced frame PURE 57 dB		CPL HQ 0.2 mm	Gladstone/ Halifax
wall thickness		Ljens & nees	Ljens & nees
C 120 - 140 mm		2241	2281
D 140 - 160 mm		2402	2442
E 160 - 180 mm		2402	2442
F 180 - 200 mm		2402	2442
G 200 - 220 mm		2402	2442
H 220 - 240 mm		2545	2586
I 240 - 260 mm		2545	2586
J 260 - 280 mm		2545	2586
K 280 - 300 mm		2545	2586

MDF frame for PURE 57 dB	Ljens & nees
	838

Extra charges (optional)	Ljens & nees
size: "100"	67
door: Group II colours of CPL 0.2mm and 0.7mm	67
frame: Group II colours of CPL 0.2mm	67
door: Gladstone/ Halifax (vertical stripes)	88
reinforcement for the self-closing device in the frame	26

EI 30 SOFT, EI 30 and EI 60 - door leaves	Full	Pattern 2	Pattern 3
	Ljens & nees	Ljens & nees	Ljens & nees
EI 30 Soft, CPL HQ 0.2mm, for MDF fix frame	686	X	1321
EI 30, CPL HQ 0.2mm, for metal frame	686	X	1468
EI 30, CPL HQ 0.2mm, for metal frame - Active or Passive door in DOUBLE VERSION	1030	X	1620
EI 30, CPL HQ 0.2mm, for MDF fix and adjustable frame	834	X	1434
EI 30, CPL HQ 0.2mm, for MDF fix and adjustable frame - Active or Passive door in DOUBLE VERSION	976	X	1576
EI 30, CPL HQ 0.7mm, for metal frame	973	X	1573
EI 30, CPL HQ 0.7mm, for metal frame - Active or Passive door in DOUBLE VERSION	1115	X	1715
EI 30, CPL HQ 0.7mm, for MDF fix and adjustable frame	919	X	1519
EI 30, CPL HQ 0.7mm, for MDF fix and adjustable frame - Active or Passive door in DOUBLE VERSION	1061	X	1661
EI 30, Gladstone/ Halifax (horizontal stripes), for metal frame	973	X	1573
EI 30, Gladstone/ Halifax (horizontal stripes), for metal frame - Active or Passive door in DOUBLE VERSION	1115	X	1715
EI 30, Gladstone/ Halifax (horizontal stripes), for MDF fix and adjustable frame	919	X	1519
EI 30, Gladstone/ Halifax (horizontal stripes), for MDF fix and adjustable frame - Active or Passive door in DOUBLE VERSION	1061	X	1661
EI 30, Natural Veneer, for metal frame	1289	X	1825
EI 30, Natural Veneer, for metal frame - Active or Passive door in DOUBLE VERSION	1440	X	2076
EI 30, Natural Veneer, for MDF fix and adjustable frame	1232	X	1868
EI 30, Natural Veneer, for MDF fix and adjustable frame - Active or Passive door in DOUBLE VERSION	1382	X	2019
EI 60, CPL HQ 0.2mm, for metal frame	1266	2127	X
EI 60, CPL HQ 0.2mm, for metal frame - Active or Passive door in DOUBLE VERSION	1408	2269	X
EI 60, CPL HQ 0.2mm, for wooden frame	1266	2127	X
EI 60, CPL HQ 0.2mm, for wooden frame - Active or Passive door in DOUBLE VERSION	1408	2269	X
EI 60, CPL HQ 0.7mm, for metal frame	1351	2212	X
EI 60, CPL HQ 0.7mm, for metal frame - Active or Passive door in DOUBLE VERSION	1493	2354	X
EI 60, CPL HQ 0.7mm, for wooden frame	1351	2212	X
EI 60, CPL HQ 0.7mm, for wooden frame - Active or Passive door in DOUBLE VERSION	1493	2354	X
EI 60, Gladstone/ Halifax (horizontal stripes), for metal frame	1351	2212	X
EI 60, Gladstone/ Halifax (horizontal stripes), for metal frame - Active or Passive door in DOUBLE VERSION	1493	2354	X
EI 60, Gladstone/ Halifax (horizontal stripes), for wooden frame	1351	2212	X
EI 60, Gladstone/ Halifax (horizontal stripes), for wooden frame - Active or Passive door in DOUBLE VERSION	1493	2354	X
EI 60, Natural Veneer, for metal frame	1690	2604	X
EI 60, Natural Veneer, for metal frame - Active or Passive door in DOUBLE VERSION	1841	2755	X
EI 60, Natural Veneer, for wooden frame	1690	2604	X
EI 60, Natural Veneer, for wooden frame - Active or Passive door in DOUBLE VERSION	1841	2755	X

EI 30 SOFT - MDF FIX Frame	
CPL HQ 0.2 mm	Ljens & nees
wall thickness	

1	100 mm	288
---	--------	-----

EI 30 - MDF FIX and ADJUSTABLE Frames	CPL HQ 0.2 mm		Gladstone/Halfax		Natural Veneer		
	single door	double door	single door	double door	single door	double door	
	Ljėna s neša	Ljėna s neša	Ljėna s neša	price in EUR	Ljėna s neša	Ljėna s neša	
1	100 mm	272	421	286	443	362	562
A	180 + 180 mm	1214	1882	1253	1943	1503	2330
B	180 + 200 mm						
C	205 + 225 mm						
D	225 + 245 mm						
E	245 + 265 mm						
F	265 + 285 mm						
G	285 + 305 mm						
H	305 + 325 mm						
I	325 + 345 mm						
J	345 + 365 mm						
K	365 + 385 mm						

Frame EI 60 - Wooden	CPL HQ 0.2 mm		Gladstone/Halfax		Natural Veneer	
	single door	double door	single door	double door	single door	double door
	Ljėna s neša	Ljėna s neša	Ljėna s neša	Ljėna s neša	Ljėna s neša	Ljėna s neša
	893	1385	932	1445	1156	1792

Frame EI 30 / EI 60 - Metal	single door	double door
	Ljėna s neša	Ljėna s neša
	495	768

Extra charges (optional)	Ljėna s neša
size: "100" for E60 doors	33
preparation for Project frame	36
preparation for Project Premium frame	57
door Group II colours of CPL 0.2mm and 0.7mm	33
frame Group II colours of CPL 0.2mm	33
metallic frame: Group II RAL colours	33
door: Gladstone/Halfax vertical stripes	85
stair tinge in the MDF frame	98
door: natural veneer White Oak Satin / Select Black	208
door: natural veneer Oak Satin (other colours)	52
door: natural veneer Walnut	90
door: New Model with mixed veneer layout	208
Cyclops eye-viewer	69
frame: natural veneer White Oak Satin / Select Black	104
frame: natural veneer Oak Satin (other colours)	35
frame: natural veneer Walnut	35
expanding the frame section from 101 to 150 mm	53
expanding the frame section from 151 to 270 mm	108
expanding the frame section from 271 to 390 mm	162
silver marquetry on one side - synthetic veneer	23
silver marquetry on 2 sides - synthetic veneer	47
silver marquetry on one side - natural veneer	26
silver marquetry on 2 sides - natural veneer	53

ENDURO - door leaf	full	patterns 1, 2, 3	pattern 4
	Ljėna s neša	Ljėna s neša	Ljėna s neša
	695	796	1031

ENDURO - metal frame	Ljėna s neša
	320

Extra charges (optional)	Ljėna s neša
size: "100"	33
metallic frame: Group II RAL colours	33
EDEL - Handle from stainless steel with lock board, colour: metal; for cylinder insert	29
reinforcement for the self-closing device in the metal frame	25
expanding the frame section from 105 to 150 mm	36
expanding the frame section from 155 to 270 mm	72
expanding the frame section from 275 to 390 mm	108
(1) upper panel (set on two sides)	259
(2) bottom panel (set on two sides)	259
(3) bottom ventilation panel (set on two sides)	222
(4) ventilation grid (set on two sides)	154
(5) straight handle (set on one side)	156
(6) swing version	500

AQUA - door leaf	full	pattern 1, 2, 3	pattern 4
	Ljėna s neša	Ljėna s neša	Ljėna s neša
	1149	1329	1442

AQUA - metal frame	Ljėna s neša
	379

Extra charges (optional)	Ljėna s neša
size: "100"	33
metallic frame: Group II RAL colours	33
EDEL - Handle from stainless steel with lock board, colour: metal; for cylinder insert	29
reinforcement for the self-closing device in the metal frame	25
ventilation grid made from stainless steel	182
expanding the frame section from 105 to 150 mm	36
expanding the frame section from 155 to 270 mm	72
expanding the frame section from 275 to 390 mm	108

Metal BASIC - door leaf (interior)	Galvanized steel			Polyester coated steel		
	dim. 80	dim. 90	dim. 100	dim. 80	dim. 90	dim. 100
	Ljėna s neša	Ljėna s neša	Ljėna s neša	Ljėna s neša	Ljėna s neša	Ljėna s neša
honeycomb	347	368	396	380	411	438
styrofoam	410	431	458	452	472	501

Metal BASIC - set of door and frame (interior)	Galvanized steel			Polyester coated steel		
	dim. 80	dim. 90	dim. 100	dim. 80	dim. 90	dim. 100
	Ljėna s neša	Ljėna s neša	Ljėna s neša	Ljėna s neša	Ljėna s neša	Ljėna s neša
honeycomb	491	511	539	533	554	581
styrofoam	563	574	601	595	616	644

Metal BASIC PLUS - set of door and frame (exterior)	Polyester coated steel		
	dim. 80	dim. 90	dim. 100
	Ljėna s neša	Ljėna s neša	Ljėna s neša
styrofoam	645	665	693

Extra charges (optional)	Ljeka s neza
ventilation sleeves (Metal BASIC)	27
drip cap (Metal BASIC PLUS)	21

METAL SOLID - Interior door leaf	"honeycomb filling"			
	Polyester paint: White, Grey, Cream, Brown standard glazing - basic	Acid - proof glazing - basic	PVC laminated steel sheet Acid - proof glazing frame - basic	Acid - proof stainless steel Acid - proof glazing frame
Ljeka s neza	Ljeka s neza	Ljeka s neza	Ljeka s neza	
full	493	x	696	1264
pattern 1, 2, 3	568	648	861	1459

pattern 4	879	x	1093	1661
pattern 5	696	776	991	x

METAL SOLID - Interior door leaf	"Foamed polystyrene"		
	Galvanized steel standard glazing frame	PVC laminated steel Acid - proof glazing frame	Acid - proof stainless steel Acid - proof glazing frame
full	483	696	1304
pattern 4	879	1093	1702

METAL SOLID - Interior door leaf	"Mineral wool"		
	Polyester paint standard glazing frame	PVC laminated steel Acid - proof glazing frame	Acid - proof stainless steel Acid - proof glazing frame
full	568	781	1389

Extra charges (optional)	Ljens & neša
.100' size (zinc - coated leaves)	33
.100' size (stainless steel acid proof leaves)	96
Group II RAL colours	33
Polyester paint and PVC laminate - colour Anthracite	19
ventilation sleeves / grid (zinc-coated leaves)	25

METAL DOORS FOR CELLAR - set of door and frame	Galvanized steel	Polyester paint
full	446	501
Model 2 (with ventilation)	455	510

Extra charges (optional)	Ljens & neša
group II RAL colours	55

METAL EI30 - door leaf	full	pattern 1, 2, 3
STANDARD	291	489

METAL EI30 - door frame	Ljens & neša
	147

METAL EI60 - door leaf	full	pattern 1	pattern 2	pattern 3
STANDARD	513	2060	1453	1695
Type 1	917	2060	1455	1699

METAL EI60 - door frame	Ljens & neša
STANDARD	411
Type 1	551

Extra charges (optional)	Ljens & neša
dim.100 for EI 60	65
dim.100 for EI 30	46
group II RAL colours	52
ECO - fire resistant handle	27
fireproof eye-viewer	36
stainless steel threshold	85
reinforcement for the self-closing device	49

FRAMES

Perizastavne sive i ploče i okvirni sustavi

MINIMAX	Portadecor (other colours), Portasynchro 3D		Portaperfect 3D		HQ CPL, Portadur, Portalamino	
	single door	double door	single door	double door	single door	double door
MINIMAX 60 mm	160	240	x	x	x	x
MINIMAX 100 mm	160	240	169	253	200	300
Flush architraves (set for one side)	39	59	45	68	53	79
Round architraves (set for one side)	44	66	48	72	55	84
Quarter - round - 1 piece 2150 mm	12	12	13	13	14	14

MINIMAX	Premium foil, Glastone/Hafslax		Acrylic Varnish UV		Natural Veneer	
	single door	double door	single door	double door	single door	double door
MINIMAX 100 mm	235	302	324	406	337	507
Flush architraves (set for one side)	62	94	97	145	132	197
Round architraves (set for one side)	66	99	97	145	132	197
Quarter - round - 1 piece 2150 mm	16	16	35	47	50	75

Extra charges (optional)	Ljens & neša
Prime hinges for the frames of size .80' - .90' veneered with synthetic veneers - 2 pcs	11
Prime hinges for the frames of size .80' - .90' veneered with synthetic veneers - 3 pcs	22
frame: Group II colours of CPL 0,2mm	33
frame: natural veneer Walnut	55
frame: natural veneer White Oak Satin	52
architraves: natural veneer White Oak Satin	13
quarter-round: natural veneer White Oak Satin	6

RONDO - 70 mm	Portadecor, Portasynchro 3D	
	single door	double door
RONDO - rounded 70 mm fix frame	149	223
Flush architraves (set for one side)	39	59
Round architraves (set for one side)	44	66
Quarter - round - 1 piece 2150 mm	12	12

Porta SYSTEM	Portadecor, Portasynchro 3D		Portalamino	
	single door	double door	single door	double door
wall thickness	Ljens & neša	Ljens & neša	Ljens & neša	Ljens & neša
A 75 - 95 mm	243	374	283	425
B 95 - 115 mm	257	386	297	446
C 120 - 140 mm	257	386	297	446
D 140 - 160 mm	275	412	317	476
E 160 - 180 mm	275	412	317	476
F 180 - 200 mm	297	446	343	515
G 200 - 220 mm	297	446	343	515

H	220 + 240 mm	297	446	343	515
I	240 + 260 mm	335	502	380	571
J	260 + 280 mm	335	502	380	571
K	280 + 300 mm	335	502	380	571
L	300 + 320 mm	455	662	506	760
M	320 + 340 mm	455	662	506	760
N	340 + 360 mm	455	662	506	760

Porta SYSTEM	Portaperfect 3D, Portatur		CPL HQ gr.I		
	single door	double door	single door	double door	
	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	
wall thickness					
A	75 + 95 mm	260	391	280	420
B	95 + 115 mm	269	403	292	438
C	120 + 140 mm	269	403	292	438
D	140 + 160 mm	295	442	312	468
E	160 + 180 mm	295	442	312	468
F	180 + 200 mm	315	472	337	506
G	200 + 220 mm	315	472	337	506
H	220 + 240 mm	315	472	337	506
I	240 + 260 mm	352	528	375	562
J	260 + 280 mm	352	528	375	562
K	280 + 300 mm	352	528	375	562
L	300 + 320 mm	478	717	495	742
M	320 + 340 mm	478	717	495	742
N	340 + 360 mm	478	717	495	742

Porta SYSTEM	Premium foil, Gladstone/Halifax		Acrylic varnish UV		Natural Veneer		
	single door	double door	single door	double door	single door	double door	
	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	
wall thickness							
A	75 + 95 mm	295	442	497	745	553	828
B	95 + 115 mm	306	459	512	768	567	851
C	120 + 140 mm	306	459	512	768	567	851
D	140 + 160 mm	332	498	543	815	599	898
E	160 + 180 mm	332	498	543	815	599	898
F	180 + 200 mm	349	523	565	863	650	976
G	200 + 220 mm	349	523	565	863	650	976
H	220 + 240 mm	349	523	565	863	650	976
I	240 + 260 mm	386	579	658	986	713	1069
J	260 + 280 mm	386	579	658	986	713	1069
K	280 + 300 mm	386	579	658	986	713	1069
L	300 + 320 mm	506	760	744	1116	792	1189
M	320 + 340 mm	506	760	744	1116	792	1189
N	340 + 360 mm	506	760	X	X	X	X

Extra charges (optional)	Ľjewa e nesa
Prime hinges for the frames of size „807“ – „307“ veneered with synthetic veneers - 2 pcs	13
Prime hinges for the frames of size „807“ – „307“ veneered with synthetic veneers - 3 pcs	26
height "220" - Premium White finishing	33
height "220" - UV Paint and Natural Veneer	55
frame: Group II colours of CPL 0,2mm	33
frame: natural veneer: Walnut	35
frame: natural veneer: White Oak Satin / Select Black	104
electric striker lock: fail-secure (synthetic veneer)	208
electric striker lock: fail-safe (synthetic veneer)	225
magnetic striker lock	19
reinforcement for the self-closing device	27

Adjusting panel Porta SYSTEM	Portadecor, Portasynticho 3D		Portaperfect 3D, CPL HQ gr. I, Portatur, Portalamino, Gladstone/Halifax		Premium finishing	
	single door	double door	single door	double door	single door	double door
	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa
wall thickness						
TYPE A - 80 mm - horizontal	19	29	21	31	22	34
TYPE B - 160 mm - horizontal	28	42	30	45	32	48
TYPE A - 80 mm - vertical (set)	49	49	53	53	56	56
TYPE B - 160 mm - vertical (set)	80	80	83	83	88	88

Adjusting panel Porta SYSTEM	Acrylic varnish UV		Natural veneer	
	single door	double door	single door	double door
	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa
wall thickness				
TYPE A - 80 mm - horizontal	62	93	77	115
TYPE B - 160 mm - horizontal	89	133	96	144
TYPE A - 80 mm - vertical (set)	108	108	128	128
TYPE B - 160 mm - vertical (set)	165	165	194	194

Module RETRO	Portadecor, Portasynticho 3D		Portaperfect 3D, Portatur	
	single door	double door	single door	double door
	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa
element				
crown - horizontal part	122	184	136	204
vertical decorative architraves (set)	82	82	84	84
Total set for one side	204	266	220	288

Module RETRO	Acrylic varnish UV		Natural Veneer	
	single door	double door	single door	double door
	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa
element				
crown - horizontal part	154	232	261	392
vertical decorative architraves (set)	142	142	241	241
Total set for one side	296	374	502	633

BASEBOARDS	Foil prepared for varnishing	
	Ľjewa e nesa	Acrylic varnish UV
	Ľjewa e nesa	Ľjewa e nesa
1 piece	42	45

Extra charges (optional)	Ľjewa e nesa
adjustable panel: natural veneer White Oak Satin	27
crown: natural veneer White Oak Satin	27
vertical decorative architraves: natural veneer White Oak Satin	20

Horizontal Beam Porta System - single*	Portadecor, Portasynticho 3D		Portaperfect 3D, CPL HQ, Portatur		CPL HQ group II of colours		Premium foil, Gladstone/Halifax	
	single door	double door	single door	double door	single door	double door	single door	double door
	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa	Ľjewa e nesa
wall thickness								
A	75 + 95 mm	92	98	116	110			
B	95 + 115 mm	94	101	120	113			
C	120 + 140 mm	94	101	120	113			
D	140 + 160 mm	102	109	129	122			

E	160 - 180 mm	102	109	129	122
F	180 - 200 mm	110	117	138	132
G	200 - 220 mm	110	117	138	132
H	220 - 240 mm	110	117	138	132
I	240 - 260 mm	122	130	154	146
J	260 - 280 mm	122	130	154	146
K	280 - 300 mm	122	130	154	146

* for double version the price is "twice + 50%"

Vertical Beam Porta System, 1 piece (with hinges or striker)	Portadecor, Portasynchro 3D	Portaperfect 3D, CPL HQ, Portadur	CPL HQ group II of colours	Premium foil, Gladstone/Halifax
wall thickness	Ujens a neza	Ujens a neza	Ujens a neza	Ujens a neza
A	75 - 95 mm	112	120	141
B	95 - 115 mm	116	124	147
C	120 - 140 mm	116	124	147
D	140 - 160 mm	126	135	159
E	160 - 180 mm	126	135	159
F	180 - 200 mm	136	145	172
G	200 - 220 mm	136	145	172
H	220 - 240 mm	136	145	172
I	240 - 260 mm	152	162	192
J	260 - 280 mm	152	162	192
K	280 - 300 mm	152	162	192

Horizontal Architrave Porta System - single*	Portadecor, Portasynchro 3D	Portaperfect 3D, CPL HQ, Portadur	CPL HQ group II of colours	Premium foil, Gladstone/Halifax
44 mm feather	Ujens a neza	Ujens a neza	Ujens a neza	Ujens a neza
64 mm feather	39	42	50	47
64 mm feather	46	49	57	55

* for double version the price is "twice + 50%"

Vertical Architrave Porta System - set of 2 pieces	Portadecor, Portasynchro 3D	Portaperfect 3D, CPL HQ, Portadur	CPL HQ group II of colours	Premium foil, Gladstone/Halifax
44 mm feather	Ujens a neza	Ujens a neza	Ujens a neza	Ujens a neza
64 mm feather	75	80	94	90
64 mm feather	88	94	111	106

Porta RENOVA	Portadecor, Portasynchro 3D	Portaperfect 3D, Portalamis, Portadur, CPL HQ, Portadur	Premium finishing, CPL HQ
wall thickness	Ujens a neza	Ujens a neza	Ujens a neza
S	55 - 75 mm	382	399
A	75 - 95 mm	382	399
B	95 - 115 mm	390	406
C	120 - 140 mm	390	406
D	140 - 160 mm	419	436
E	160 - 180 mm	419	436
F	180 - 200 mm	442	459
G	200 - 220 mm	442	459
H	220 - 240 mm	442	459
I	240 - 260 mm	488	511
J	260 - 280 mm	488	511
Extra charges (optional)	Ujens a neza		
frame: Group II colours of CPL 0,2mm		33	

Porta SYSTEM ELEGANCE	Portadecor, Portasynchro 3D		Portaperfect 3D, CPL HQ gr. I, Portadur, Supermat, Portalamis		Premium foil, Gladstone/Halifax	
	single door	double door	single door	double door	single door	double door
wall thickness	Ujens a neza	Ujens a neza	Ujens a neza	Ujens a neza	Ujens a neza	Ujens a neza
B	95 - 115 mm	485	728	525	787	544
C	120 - 140 mm	485	728	525	787	544
D	140 - 160 mm	498	747	537	806	557
E	160 - 180 mm	498	747	537	806	557
F	180 - 200 mm	521	781	567	850	586
G	200 - 220 mm	521	781	567	850	586
H	220 - 240 mm	521	781	567	850	586
I	240 - 260 mm	550	825	602	904	622
J	260 - 280 mm	550	825	602	904	622
K	280 - 300 mm	550	825	602	904	622
L	300 - 320 mm	602	904	655	982	674
M	320 - 340 mm	602	904	655	982	674
N	340 - 360 mm	602	904	655	982	674

Porta SYSTEM ELEGANCE	Acrylic varnish UV		Natural Veneer	
	single door	double door	single door	double door
wall thickness	Ujens a neza	Ujens a neza	Ujens a neza	Ujens a neza
B	95 - 115 mm	722	1084	771
C	120 - 140 mm	722	1084	771
D	140 - 160 mm	750	1125	813
E	160 - 180 mm	750	1125	813
F	180 - 200 mm	781	1172	844
G	200 - 220 mm	781	1172	844
H	220 - 240 mm	781	1172	844
I	240 - 260 mm	820	1229	882
J	260 - 280 mm	820	1229	882
K	280 - 300 mm	820	1229	882
L	300 - 320 mm	889	1333	1006
M	320 - 340 mm	889	1333	1006
N	340 - 360 mm	X	X	X

Extra charges (optional)	Ujens a neza
third hinge 3D	84
batimale culmea auris	38
height "220" - Premium White finishing	104
height "220" - UV Paint and Natural Veneer	138
architraves 100mm (for height of 220 cm)	104
frame: Group II colours of CPL 0,2mm	35
frame: natural veneer Walnut	35
frame: natural veneer White Oak Satin / Select Black	104
reinforcement for the self-closing device	27

Horizontal Beam Porta System Elegance - single*	Portadecor, Portasynchro 3D	Portaperfect 3D, CPL HQ gr. I, Portadur, Portalamis	CPL HQ group II of colours	Premium foil, Gladstone/Halifax
wall thickness	Ujens a neza	Ujens a neza	Ujens a neza	Ujens a neza
B	95 - 115 mm	160	176	185
C	120 - 140 mm	160	176	185

D	140 - 160 mm	162	179	196	188
E	160 - 180 mm	162	178	196	188
F	180 - 200 mm	170	187	206	197
G	200 - 220 mm	170	187	206	197
H	220 - 240 mm	170	187	206	197
I	240 - 260 mm	182	200	220	211
J	260 - 280 mm	182	200	220	211
K	280 - 300 mm	182	200	220	211

* for double version the price is "price + 50%"

Vertical Beam Porta System Elegance, 1 piece (with hinges or striker)		Portadoor, Portasynchro 3D	Portaperfect 3D, CPL HQ gr I, Portador, Portalamino	CPL HQ group II of colours	Premium foil, Gladstone/Halifax
		Lišna s neša	Lišna s neša	Lišna s neša	Lišna s neša
wall thickness					
B	95 - 115 mm	200	220	242	232
C	120 - 140 mm	200	220	242	232
D	140 - 160 mm	204	224	247	236
E	160 - 180 mm	204	224	247	236
F	180 - 200 mm	213	234	257	247
G	200 - 220 mm	213	234	257	247
H	220 - 240 mm	213	234	257	247
I	240 - 260 mm	229	252	278	266
J	260 - 280 mm	229	252	278	266
K	280 - 300 mm	229	252	278	266

Horizontal Architrave Porta System Elegance - single*		Portadoor, Portasynchro 3D	Portaperfect 3D, CPL HQ gr I, Portador, Portalamino	CPL HQ group II of colours	Premium foil, Gladstone/Halifax
		Lišna s neša	Lišna s neša	Lišna s neša	Lišna s neša
44 mm feather		53	59	65	62

* for double version the price is "price + 50%"

Vertical Architrave Porta System Elegance - set of 2 pieces		Portadoor, Portasynchro 3D	Portaperfect 3D, CPL HQ gr I, Portador, Portalamino	CPL HQ group II of colours	Premium foil, Gladstone/Halifax
		Lišna s neša	Lišna s neša	Lišna s neša	Lišna s neša
44 mm feather		104	115	126	121

Frame LEVEL		Portadoor, Portasynchro 3D	Portaperfect 3D, Portalamino	Premium finishing	Acrylic varnish UV
		Lišna s neša	Lišna s neša	Lišna s neša	Lišna s neša
B	95 - 115 mm	472	511	531	667
C	120 - 140 mm	472	511	531	667
D	140 - 160 mm	488	527	547	698
E	160 - 180 mm	488	527	547	698
F	180 - 200 mm	511	557	577	729
G	200 - 220 mm	511	557	577	729
H	220 - 240 mm	511	557	577	729
I	240 - 260 mm	547	599	619	774
J	260 - 280 mm	547	599	619	774
K	280 - 300 mm	547	599	619	774

Panel LEVEL		Portadoor, Portasynchro 3D	Portaperfect 3D, Portalamino	Premium finishing	Acrylic varnish UV
		Lišna s neša	Lišna s neša	Lišna s neša	Lišna s neša
200 mm (2x)		160	180	186	225
1000 mm (2x)		312	344	364	428
200 and 1000 mm (1 / 1)		236	262	275	327

Extra charges (optional)	Lišna s neša
third hinge 3D	76
reinforcement for the self-closing device	27

Porta SYSTEM ELEGANCE 90 DEGREES FRAME	Premium foil		Acrylic varnish UV		Natural Veneers		
	single door	double door	single door	double door	single door	double door	
wall thickness	Lišna s neša	Lišna s neša	Lišna s neša	Lišna s neša	Lišna s neša	Lišna s neša	
B	95 - 115 mm	657	986	853	1280	921	1073
C	120 - 140 mm	657	986	853	1280	921	1073
D	140 - 160 mm	671	1006	880	1320	961	1141
E	160 - 180 mm	671	1006	880	1320	961	1141
F	180 - 200 mm	701	1052	911	1366	991	1187
G	200 - 220 mm	701	1052	911	1366	991	1187
H	220 - 240 mm	701	1052	911	1366	991	1187
I	240 - 260 mm	738	1107	948	1421	1028	1243
J	260 - 280 mm	738	1107	948	1421	1028	1243
K	280 - 300 mm	738	1107	948	1421	1028	1243

Extra charges (optional)	Lišna s neša
third hinge 3D	74
height "220": Premium White finishing	101
height "220": UV Paint and Natural Veneer	135
golden color hinges	34
frame: natural veneer, Walnut	34
frame: natural veneer Oak, Satin White	101
frame: natural veneer, Black	101
reinforcement for the self-closing device	26

Porta SYSTEM FRAME WITH REVERSED REBATE	Premium foil		Acrylic varnish UV		Natural Veneers		
	single door	double door	single door	double door	single door	double door	
wall thickness	Lišna s neša	Lišna s neša	Lišna s neša	Lišna s neša	Lišna s neša	Lišna s neša	
B	95 - 115 mm	786	1178	988	1482	1123	1685
C	120 - 140 mm	786	1178	988	1482	1123	1685
D	140 - 160 mm	799	1199	1015	1523	1163	1745
E	160 - 180 mm	799	1199	1015	1523	1163	1745
F	180 - 200 mm	829	1244	1046	1568	1194	1791
G	200 - 220 mm	829	1244	1046	1568	1194	1791
H	220 - 240 mm	829	1244	1046	1568	1194	1791
I	240 - 260 mm	867	1300	1083	1624	1231	1846
J	260 - 280 mm	867	1300	1083	1624	1231	1846
K	280 - 300 mm	867	1300	1083	1624	1231	1846

Extra charges (optional)	Lišna s neša
golden color hinges	34
third hinge 3D	142
height "220": Premium White finishing	101
height "220": UV Paint and Natural Veneer	135

architraves: 100mm (for height of 220 cm)	101
frame: Group II colours of CPL 0,2mm	135
frame: natural veneer, Walnut	34
frame: natural veneer Oak, Satin White/ Select Black	101

Porta SYSTEM for doors Gipsy Kings	Portadecor, Dübelstschicht-CP	CPL, HÜ gr.1, Dübelstschicht	Premium finishing, Zierrahmenkittfarbe	Acrylic varnish UV	Natural Veneer
	single door	single door	single door	single door	single door
wall thickness	Ljewa s nesa	Ljewa s nesa	Ljewa s nesa	Ljewa s nesa	Ljewa s nesa
A 75 - 95 mm	292	308	331	497	553
B 95 - 115 mm	300	316	339	512	567
C 120 - 140 mm	300	316	339	512	567
D 140 - 160 mm	323	345	368	543	599
E 160 - 180 mm	323	345	368	543	599
F 180 - 200 mm	352	375	398	595	650
G 200 - 220 mm	352	375	398	595	650
H 220 - 240 mm	352	375	398	595	650
I 240 - 260 mm	398	420	443	658	713
J 260 - 280 mm	398	420	443	658	713
K 280 - 300 mm	453	479	506	744	792
L 300 - 320 mm	453	479	506	744	792
M 320 - 340 mm	453	479	506	744	792
N 340 - 360 mm	453	479	506	X	X

Extra charges (optional)	Ljewa s nesa
frame: Group II colours of CPL 0,2mm	33
frame: natural veneer Walnut	35
frame: natural veneer White Oak Satin	104

Villadora RETRO	Natural Veneer White Oak Satin	
	single door	double door
wall thickness	Ljewa s nesa	Ljewa s nesa
A 75 - 95 mm	724	1096
B 95 - 115 mm	742	1113
C 120 - 140 mm	759	1130
D 140 - 160 mm	777	1155
E 160 - 180 mm	795	1192
F 180 - 200 mm	812	1218
G 200 - 220 mm	829	1244
H 220 - 240 mm	847	1270
I 240 - 260 mm	864	1297
J 260 - 280 mm	882	1322
K 280 - 300 mm	899	1348

Module RETRO	Natural Veneer White Oak Satin	
	single door	double door
element	Ljewa s nesa	Ljewa s nesa
crow - horizontal part	261	524
vertical decorative architraves (set)	241	241
Total set for one side	502	765

Porta System Transoms	Portadecor, Portasynchro 3D			HQ CPL, Premium finishing, Portaperfect 3D, Portalmino		
	Grupa de dim. A x A	Grupa de dim. A x B	Grupa de dim. B x B	Grupa de dim. A x A	Grupa de dim. A x B	Grupa de dim. B x B
wall thickness	Ljewa s nesa	Ljewa s nesa	Ljewa s nesa	Ljewa s nesa	Ljewa s nesa	Ljewa s nesa
A 75 - 95 mm	167	203	239	194	240	285
B 95 - 115 mm	173	209	245	201	247	292
C 120 - 140 mm	173	209	245	201	247	292
D 140 - 160 mm	193	229	265	220	266	312
E 160 - 180 mm	193	229	265	220	266	312
F 180 - 200 mm	219	255	291	247	292	338
G 200 - 220 mm	219	255	291	247	292	338
H 220 - 240 mm	219	255	291	247	292	338
I 240 - 260 mm	258	294	330	285	331	377
J 260 - 280 mm	258	294	330	285	331	377
K 280 - 300 mm	258	294	330	285	331	377

Porta System Transoms	Natural Veneer		
	Grupa de dim. A x A	Grupa de dim. A x B	Grupa de dim. B x B
wall thickness	Ljewa s nesa	Ljewa s nesa	Ljewa s nesa
A 75 - 95 mm	439	529	660
B 95 - 115 mm	452	543	674
C 120 - 140 mm	452	543	674
D 140 - 160 mm	480	570	702
E 160 - 180 mm	480	570	702
F 180 - 200 mm	515	605	736
G 200 - 220 mm	515	605	736
H 220 - 240 mm	515	605	736
I 240 - 260 mm	563	653	785
J 260 - 280 mm	563	653	785
K 280 - 300 mm	563	653	785

Metal Angle-bar frames	simple doors			double doors
	dim. "90" - "90"	dim. "100"	dim. "110"	dim. "120" - "200"
	Ljewa s nesa	Ljewa s nesa	Ljewa s nesa	Ljewa s nesa
Small, for masonry wall	284	307	X	X
Large, for masonry wall	296	325	325	414
Large, for gypsum carboard wall	321	350	350	448
Folded, from stainless steel, for masonry wall	597	636	X	X
Folded, laminated with PVC, for masonry wall	410	436	X	561

STAINLESS STEEL TRESHOLD	SINGLE DOOR	DOUBLE DOOR
	Ljewa s nesa	Ljewa s nesa
STANDARD - 90 mm	76	125
EXTENDED - 120 mm	93	149

Extra charges (optional)	Ljewa s nesa
adjustable stopper lock (Large frame)	17
electric stopper lock- fail-secure	186
electric stopper lock- fail-secure	208
metallic frame: Structural block	13
metallic frame: Group II and III of RAL colours	33
reinforcement for the self-closing device	25
installation dowels (Angle-bar target)	23

expanding the frame section from 110 to 150 mm	36
expanding the frame section from 155 to 270 mm	72
expanding the frame section from 275 to 390 mm	108

Adjustable metal frame		dim. "60" - "90"	dim. "100" - "110"	dim. "120" - "200"
wall thickness		Ljéna e neša	Ljéna e neša	Ljéna e neša
A 95 - 115 mm		471	533	658
B 120 - 145 mm		495	557	693
C 145 - 170 mm		519	581	726
D 170 - 195 mm		543	605	760
E 195 - 220 mm		567	629	795
F 220 - 245 mm		591	653	828
G 245 - 270 mm		615	677	861
H 270 - 295 mm		639	702	895

Extra charges (optional)	Ljéna e neša
reinforcement for the self-closing device	25
electric striker lock: fail-secure	186
electric striker lock: fail-safe	208
metallic frame: Structured black	13
metallic frame: Group II and III of RAL colours	33
adjustable striker lock	17

Porta System - Adjustable metal frame		dim. "60" - "90"	dim. "100"
wall thickness		Ljéna e neša	Ljéna e neša
A 95 - 120 mm		471	533
B 121 - 145 mm		495	557
C 146 - 170 mm		519	581
D 171 - 195 mm		543	605
E 196 - 220 mm		567	629
F 221 - 245 mm		591	653
G 246 - 270 mm		615	677
H 271 - 295 mm		639	702

Extra charges (optional)	Ljéna e neša
reinforcement for the self-closing device	25
electric striker lock: fail-secure	186
electric striker lock: fail-safe	208
metallic frame: Structured black	13
metallic frame: Group II and III of RAL colours	33
adjustable striker lock	17

Steel PORTA SYSTEM		dim. "60" - "90"	dim. "100" - "110"	dim. "120" - "200"
wall thickness		Ljéna e neša	Ljéna e neša	Ljéna e neša
A 95 - 120 mm		502	569	703
B 120 - 145 mm		530	595	741
C 145 - 170 mm		557	622	778
D 170 - 195 mm		583	649	817

Extra charges (optional)	Ljéna e neša
reinforcement for the self-closing device	27
height "200"	104
adjustable striker lock	17
metallic frame: Structured black	14
metallic frame: Group II and III of RAL colours	35

Steel PORTA SYSTEM ELEGANCE		dim. "60" - "90"	dim. "100"	dim. "120" - "200"
wall thickness		Ljéna e neša	Ljéna e neša	Ljéna e neša
A 95 - 120 mm		813	877	1137
B 120 - 145 mm		837	901	1173
C 145 - 170 mm		864	928	1210
D 170 - 195 mm		890	955	1246

Extra charges (optional)	Ljéna e neša
reinforcement for the self-closing device	26
third hinge 3D	71
height "200"	101
metallic frame: Structured black	14
metallic frame: Group II and III of RAL colours	34

NON-REBATED ADJUSTABLE STEEL DOOR FRAME		dim. "60" - "90"	dim. "100" - "110"	dim. "120" - "200"
wall thickness		Ljéna e neša	Ljéna e neša	Ljéna e neša
B 121 - 145 mm		861	925	1205
C 146 - 170 mm		885	950	1239
D 171 - 195 mm		911	975	1274
E 196 - 220 mm		935	1000	1309
F 221 - 245 mm		960	1024	1345
G 246 - 270 mm		986	1050	1380
H 271 - 295 mm		1010	1075	1414

Extra charges (optional)	Ljéna e neša
reinforcement for the self-closing device	26
third hinge 3D	71
metallic frame: Structured black	14
metallic frame: Group II and III of RAL colours	34

NON-REBATED LARGE ANGLE-BAR STEEL DOOR FRAME	simple doors		double doors
	dim. "60" - "90"	dim. "100" - "110"	dim. "120" - "200"
Large for masonry wall	Ljéna e neša	Ljéna e neša	Ljéna e neša
	615	645	861
Large for gypsum-castboard wall		671	896

Extra charges (optional)	Ljéna e neša
metallic frame: Structured black	34
metallic frame: Group II and III of RAL colours	34
third hinge 3D	71
reinforcement for the self-closing device	26
installation dowels (Angle-bar large)	24
expanding the frame section from 110 to 150 mm	37
expanding the frame section from 155 to 270 mm	74

expanding the frame section from 275 to 390 mm 112

PROJECT BIS - wooden architrave for metal frame for wall thickness of:	Agst. Opal, Quartz, 27 dB, 32 dB	GRANIT class C, EI 30	Silence 37 dB rebated, Granit RC3, Estreme RC2 / RC3	Silence 37 dB non-rebated	Rw = 42 dB	EI 60	Portasynchro 3D	Portaperfect 3D, CPL HQ, Portalamino	Gladstone/Halifax
							Љена а неса	Љена а неса	Љена а неса
A: 138 - 153 mm	A: 143 - 158 mm	A: 147 - 162 mm	A: 164 - 179 mm	A: 162 - 177 mm	A: 155 - 170 mm	193	206	213	
B: 158 - 178 mm	B: 163 - 183 mm	B: 167 - 187 mm	B: 184 - 204 mm	B: 182 - 202 mm	B: 175 - 195 mm	193	206	213	
C: 183 - 203 mm	C: 188 - 208 mm	C: 192 - 212 mm	C: 209 - 229 mm	C: 207 - 227 mm	C: 200 - 220 mm	193	206	213	
D: 203 - 223 mm	D: 208 - 228 mm	D: 212 - 232 mm	D: 229 - 249 mm	D: 227 - 247 mm	D: 220 - 240 mm	208	219	225	
E: 223 - 243 mm	E: 228 - 248 mm	E: 232 - 252 mm	E: 249 - 269 mm	E: 247 - 267 mm	E: 240 - 260 mm	208	219	225	
F: 243 - 263 mm	F: 248 - 268 mm	F: 252 - 272 mm	F: 269 - 289 mm	F: 267 - 287 mm	F: 260 - 280 mm	225	239	245	
G: 263 - 283 mm	G: 268 - 288 mm	G: 272 - 292 mm	G: 289 - 309 mm	G: 287 - 307 mm	G: 280 - 300 mm	225	239	245	
H: 283 - 303 mm	H: 288 - 308 mm	H: 292 - 312 mm	H: 309 - 329 mm	H: 307 - 327 mm	H: 300 - 320 mm	225	239	245	
I: 303 - 323 mm	I: 308 - 328 mm	I: 312 - 332 mm	I: 329 - 349 mm	I: 327 - 347 mm	I: 320 - 340 mm	252	265	271	
J: 323 - 343 mm	J: 328 - 348 mm	J: 332 - 352 mm	J: 349 - 369 mm	J: 347 - 367 mm	J: 340 - 360 mm	252	265	271	
K: 343 - 363 mm	K: 348 - 368 mm	K: 352 - 372 mm	K: 369 - 389 mm	K: 367 - 387 mm	K: 360 - 380 mm	252	265	271	

PROJECT PREMIUM - wooden architrave for metal frame for wall thickness of:	Agst. Opal, 27 dB, 32 dB	GRANIT class C	Rw = 42 dB	Portasynchro 3D	Facet 3D, CPL HQ, Port	Gladstone/Halifax
				Љена а неса	Љена а неса	Љена а неса
B: 133 - 153 mm	B: 138 - 158 mm	B: 157 - 177 mm		268	281	288
C: 153 - 173 mm	C: 158 - 178 mm	C: 177 - 197 mm		268	281	288
D: 173 - 193 mm	D: 178 - 198 mm	D: 197 - 217 mm		281	294	301
E: 193 - 213 mm	E: 198 - 218 mm	E: 217 - 237 mm		281	294	301
F: 213 - 233 mm	F: 218 - 238 mm	F: 237 - 257 mm		301	313	320
G: 233 - 253 mm	G: 238 - 258 mm	G: 257 - 277 mm		301	313	320
H: 253 - 273 mm	H: 258 - 278 mm	H: 277 - 297 mm		301	313	320
I: 273 - 293 mm	I: 278 - 298 mm	I: 297 - 317 mm		327	340	346
J: 293 - 313 mm	J: 298 - 318 mm	J: 317 - 337 mm		327	340	346
K: 313 - 333 mm	K: 318 - 338 mm	K: 337 - 357 mm		327	340	346

Extra charges (optional)	Љена а неса
Frame Group II colours of CPL 0.2mm	33